P.O. No. 058594



REPUBLIKA NG PILIPINAS

Pambansang Korporasyon Sa Elektrisidad (NATIONAL POWER CORPORATION)

Page \_\_\_\_\_ of \_\_\_\_\_

and correspondence.

This PO number must appear on all papers, invoices, packing list

**PURCHASE ORDER** 

October 24, 2022

PD NO.:

SVP220909- RFJO375(SVP2)

ASISI SYSTEMS CORP. ,

DELIVERY PERIOD: WITHIN

JMC Bldg., Blk. 4 Lot 4 Ocean Park St. Sauyo Road,

Brgy. Sauyo, Quezon City

Tel. No. 8983-1082 / 8935-6680 Fax. No. 8939-5759

DAYS UPON DELIVERY AND ACCEPTANCE

FROM DATE OF RECEIPT OF THIS ORDER

30 cal.

(ANNEX "A"). REQUISITIONER:

TERMS: WITHIN

TFMD c/o R. S. Dormido Jr.

OF THE GOODS AND DOCUMENTS TO SUPPORT PAYMENT

DELIVERY POINT: NPC Head Office, Diliman, Quezon City c/o

roperty Custodian QTY/UNIT OF MEAS PR NO./ **UNIT PRICE** AMOUNT DESCRIPTION ITEM NO. REFILLING OF FM-200 AT ITSD COMPUTER ROOM HO-TFM22-016, 2602010 TRANSPORTATION & FACILITIES MONT. DIV. REFILLING OF FM-200 AT ITSD COMPUTER ROOM, 25LBS. 175,000,00 175,000.00 FM CLEAN AGENT (PLEASE SEE ATTACHED SCOPE OF WORKS) 175,000.00 Subtotal...... P TOTAL AMOUNT (VAT INCLUDED) .. 175,000.00, VVVVVVVVVVVVVVVVVVVVVV PESOS: ONE HUNDRED SEVENTY FIVE THOUSAND ONLY e following documents shall constitute as integral part of this transaction, to wit: Bid proposal/Quotation dated September 26, 022 PR No. HO-TFM22-016 dated September 23, 2021 (NON-OMA) Terms of Reference NOTE: with One (1) year warranty "NP - Small Value Procurement"

THIS ORDER IS SUBJECT TO THE TERMS & CONDITIONS PRINTED AT THE BACK HEREOF:

Pambansang Korporasyon Sa Elektrisidad

CC

Nm onva (m)

GL

<u>OE</u>

**FUNDS AVAILABLE** 

WO

JO ACO 4111 P175,000-

10

ALEXANDER P. JAPON

Vice President, Admin & Finance,

AUTHORIZED SIGNATURE

Please signify your acceptance and agreement with this P.O. by signing below:

CONFORME: POSITION:

1 DOG MA

DATE: -

NATIONAL POWER CORPORATION

G/F Building 1

BIR Road corner Quezon Avenue, Diliman 1100 Quezon City, PHILIPPINES

MSSPD - LOGISTICS DEPARTMENT FAX NOS.: 8921-6048 / 8921-2468

Email: msspd@napocor.gov.ph

AFG-LOG-006.F03 Rev. No. 0

TEL. NOS. 8921-3541 to 80

8924-5494 / 5434 / 5284 / 5465

DAMD 260CT 2022 AM9:56

**REVISED** NOVEMBER 2020

TO:



ASISI SYSTEMS CORP.



REPUBLIKA NG PILIPINAS

JMC Bldg., Blk. 4 Lot 4 Ocean Park St.

## Pambansang Korporasyon Sa Elektrisidad (NATIONAL POWER CORPORATION)

## **PURCHASE ORDER**

P.O. No.

058594-JBO

Page \_\_\_\_ of \_\_\_

This PO number must appear on all papers, invoices, packing list and correspondence.

DATE:

PD NO: October 24, 2022

	Sau	yo Road, Quezon City		PD NO.:	Der 24, 2022
Tel No. 8983-1082 / 8935-6680 Fax No. 8939-5759				SVP220909-RFJO375(SVP2)	
PO ITEM NO.	PR NO./ ITEM NO.	DESCRIPTION	QTY/UNIT OF MEAS	UNIT PRICE	AMOUNT
	но	TFM22-016 REFILLING OF FM-200 AT ITSD COMPUTER RE	DOM		
	sco	PE OF WORKS			,
		<ol> <li>Dismantling and hauling of the tank</li> <li>Check the cylinder valve assembly for physical defect</li> <li>Weight the cylinder/vavle assembly to verify the quaragent in the cylinder</li> <li>Ensure that no more than 10 PSIG (0.7 Bar) of Nitrogen the cylinder before fill procedure</li> <li>Connect FM-200 fluid supply to the FM-200 cylinder volonical valves in the charging system</li> <li>Open the Supply valves</li> <li>Start the pump then crack the vent valve until FM-200 present. Close vent valve and shut the pump off</li> <li>Position the cylinder and valve assembly actuation position the cylinder and valve assembly must be on the cylinder valve name plate.</li> <li>Remove safety cap and immediately connect the cylinder valve assembly into the charging system by assembling the recharge adapter with o-ring.</li> <li>Stand-by for Leak Checking</li> <li>Re-Installation of the refilled tank, testing and commis</li> </ol>	is in live fluid is ort protection stamped linder		
		COM AND			

**NATIONAL POWER CORPORATION** 

G/F Building 1 BIR Road corner Quezon Avenue, Diliman 1100 Quezon City, PHILIPPINES

MSSPD - LOGISTICS DEPARTMENT FAX NOS.: 8921-6048 / 8921-2468 Email: msspd@napocor.gov.ph

TEL. NOS. 8921-3541 to 80 8924-5494 / 5434 / 5284 / 5465