

REPUBLIKA NG PILIPINAS

Pambansang Korporasyon Sa Elektrisidad (NATIONAL POWER CORPORATION)

P.O. No. 058450

Page _______ of _____

This PO number must appear on all papers, invoices, packing list and correspondence.

PURCHASE ORDER

June 24, 2022

PD NO .:

SVP220511-RFZT119

TRI-O DIGIGRAPHICS,

#40 Visayas St., Filipinas Village, Malanday, Marikina City

Tel. No. 8941-9678 / 7576-1043

120 cal., DELIVERY PERIOD: WITHIN DAYS FROM DATE OF RECEIPT OF THIS ORDER

TERMS: WITHIN DAYS UPON DELIVERY AND ACCEPTANCE OF THE GOODS AND DOCUMENTS TO SUPPORT PAYMENT

(ANNEX "A").

REQUISITIONER:

TFMD c/o A. G. Relulal

DELIVERY POINT: "NPC Head Office, Diliman, Quezon City c/o Property Custodian, PO ITEM NO

0.	PR NO./ ITEM NO.	DESCRIPTION	QTY/UNIT OF MEAS	UNIT PRICE	AMOUNT
		• праучан	or the Commission	entimizes of NIPC and	-origin
	to describe	f the Goods not conforming to specification, drawings, samples or description	ame on any part of	SPC shall super any	
	VIII WINNEY	" S/D & INSTALL OF AUTO SLIDING GLASS DOOR AT NPC HO	terre to confirme to	of to seumod to start	
	HO-TFM2	2-078, 2602010 TRANSPORTATION & FACILITIES MG	SNT. DIV.	iano for damages, i	
1	reit of their	SUPPLY, DELIVERY AND INSTALLATION OF 2 UNITS OF	LOT	565,000.00	565,000.00
		AUTOMATIC SLIDING GLASS DOOR AT NPC HEAD OFFICE,	SUPPLIER	dr le recount of th	
	delivery and o VPC shall	BRAND: VENEZIA S.R.L. SISTEMA ITALIA (SEE ATTACHED	oc paid within the	IENT Goods shall	S PAYN
	ni politico su	PROPOSAL FOR DETAILS) transets initiagent conducted and limit your lab in	americany requires	of the complete of 12%	rancia Named
			192	197	0-6
	a Day Age	home by the SUPPLIER, until Goods have been actually received and accepte	Subtotal	DF TO82 - DE U	1818 565,000.00
	(D47/10 ss	r for any injuries (includes), down or illness) to any person's (including any employ	dianogest of Res	CIS-SUPPLIER	143G
		r milio has gargarlosquett gaibuloui) baitiques aboort el 20, deb mort garare bank y	ny property of an	of of any	
	dotend and	AV) TRUOMA JATOT STEPLIER, but employees or agents and shall indentation	I INCLUDED)	d with the Code and he	565,000.00
		PESOS : FIVE HUNDRED SIXTY FIVE THOUSAN	ID ONLY -	der 1, AMAM	(C) 488.4
	teon littely fit	THE HOUSE	CACH TIE	OIDIANCE SECT	TENER BEREI
TH	ne following d	pouments shall constitute as integral part	se re comp theretoes	lister out to agreemen	m n m
- 1	this transacti	71x46 = 67 m 11st 1 max x 2 d	ono (845, 34, 201	to smot aldesquus	114
1	Bid proposal	Quotation dated May 11, 2022,	to be remail a re	hoseu stono	
2		M22-078 dated March 01; 2022 (NON-OMA)	The state of the	от Соридания	
3	Terms of Ref	erence man and an analysis of the American suranum in Assault Services pro-	cob a con airmin.	ing Summy bund	
	and may be	country shall remain value and send the Children Carillians a Final Continue	the parternance	- 710 liev 30 bones	E. S. C.
		"NP - Small Value Procurement"	stongs garwould	NI OI DORGE DESCRIS	
		One SUPPLIER or the surery company materials filled against the SUPPLIER	em rodel wit ente	A THE REAL PROPERTY AND A SECOND	
			Estrational self.	o zbrjur jeriji) (f. 1.	
	ount of any	5R shall hold free and berniess, and the expense the end NPC, its officers and employed to access or need to the end of t	CHTS - SUPPL	NIS AND COPYR	A 129 St
	Blos as bond	toly process, patiented or unpatented inventions, articles method or appliance manufact	oe nomicogmus be	during sounds listed	177100
		- 1. de al dian and	Note test by NPC		JR ve
		to that the Gobels covered by this Octor are board new, genuine, of merchantable qual FIR vinall immediately replace or repair the growth or services at the option of NPC.	capressly warren efect the SUPPL		SEAW LOE
		apon SUPELIER's part to indemnify and bold APC free liability, loss, damage a	ite an agreement		office of
	day? swins	ar susmeand by NFC by reason of the Calum of the Goods to conform to such warr	No. of the Contract of the Con	mico aldresentrant	at all
	nutsoming	nearest provides by law, ment of greeks, SI PPI IER shall warrand in New year in order to resure that the ma	on to may other re-	NY SERIO DE SE EDUK VARIKANTE BONE	1 1 D
	ont to some	or, Manufacture Distributor A warranty spell Journence from the coal-test is acce-			

THIS ORDER IS SUBJECT TO THE TERMS & CONDITIONS PRINTED AT THE BACK HEREOF:

CC GL OE WO 2602010 WUH AGG 0712

FUNDS AVAILABLE

Pambansang Korporasyon Sa Elektrisidad

ALEXANDER P. JAPON

Please signify your acceptance and agreement with this P.O. by signing

CONFORME

POSITION:

ice-President, Administration & Finan AUTHORIZED SIGNATURE

The Market NATIONAL POWER CORPORATION

G/F Building 1 BIR Road corner Quezon Avenue, Diliman 1100 Quezon City, PHILIPPINES

MSSPD - LOGISTICS DEPARTMENT FAX NOS.: 8921-6048 / 8921-2468 Email: msspd@napocor.gov.ph

> AFG-LOG-006.F03 Rev. No. 0

TEL. NOS. 8921-3541 to 80 8924-5494 / 5434 / 5284 / 5465



L000058450-ZCT



REPUBLIKA NG PILIPINAS

Pambansang Korporasyon Sa Elektrisidad (NATIONAL POWER CORPORATION)

P.O. No.

Page ____2 of ___4

This PO number must appear on all papers, invoices, packing list and correspondence.

PURCHASE ORDER

TRI-O DIGIGRAPHIC

TRI-O DIGIGRAPHICS, #40,Visayas Street, Filipinas Village, Malanday, Marikina City DATE:

June 24, 2022

PD NO .:

	Mala	anday, Marikina City		PB NO	
		lo, 8941-9648 / Fax No, 7576-1043		SVP2	20511-RFZT119,
PO ITEM NO.	PR NO./ ITEM NO.	DESCRIPTION Q	TY/UNIT F MEAS	UNIT PRICE	AMOUNT
					3
	HO-	FM22-078 ,			
		IFICATIONS:			
		NTITY : Two (2) Units : Automatic Sliding Double Leaf Door			
		ER SUPPLY: 220-240V, 60Hz, 1 Phase N DOOR DIMENSIONS: 3600mm W x 2000mm - 2600mm H			
		S THICKNESS: 8-12mm			
		S DOOR TYPE : Tempered and Frameless Glass Door			
		KER LOGO: NPC Logo located at the center of each glass door panel * NING WIDTH: 600mm - 3500mm			
		E DIMENSIONS:			
		HT : 100mm - 120mm			
		H: 130mm - 145mm			
		NING SPEED: 0.5 m/s - 1 m/s			
		SING SPEED: 0.3 m/s - 0.6 m/s			
	OPE	RATOR LENGTH: not to exceed 4.2 m			
	ACC	ESSORIES:			
		Proximity Sensor : by Supplier			
		Timing Belt : by Supplier			
		Belt Connector : by Supplier			
		Door Engine : by Supplier Door Hanger : by Supplier			
		Door Stopper: by Supplier			
		Idler Pulley : by Supplier			
	SCO	PE OF WORK:			
	10.0	otal Units: Automatic Double Leaf Door (2 Units)			
		quirements: Prospective Bidders should conduct actual site inspecti	on of the	existing automati	
	D. IN	a. Prospective Bidders should conduct actual site inspection of			
		sliding door that will be replaced and installed to view the total			
		the necessary replacement of the automatic sliding door and its	s accessor	es.	n.:
		"NP - Small Value Procurement"	,		
		1 0			
		N & WH			
		the state of the s			

NATIONAL POWER CORPORATION

G/F Building 1 BIR Road corner Quezon Avenue, Diliman 1100 Quezon City, PHILIPPINES MSSPD - LOGISTICS DEPARTMENT FAX NOS.: 8921-6048 / 8921-2468 Email: msspd@napocor.gov.ph

TEL. NOS. 8921-3541 to 80 8924-5494 / 5434 / 5284 / 5465

AFG-LOG-006.F03 Rev. No. 0



REPUBLIKA NG PILIPINAS

Pambansang Korporasyon Sa Elektrisidad (NATIONAL POWER CORPORATION)

Page 3 of 4

P.O. No.

DATE:

This PO number must appear on all papers, invoices, packing list and correspondence.

June 24, 2022

PURCHASE ORDER

TO:

TRI-O DIGIGRAPHICS,

#40, Visayas Street, Filipinas Village, Malanday, Marikina City

PD NO .:

	Tel No. 8941-9648 / Fax No. 7576-1043			SVP220511-RFZT119 •		
PO ITEM NO.	PR NO./ ITEM NO.	DESCRIPTION	QTY/UNIT OF MEAS	UNIT PRICE	AMOUNT	
					•	
	но-т	FM22-078				
	SCOF	E OF WORK:				
		 b. Prospective Bidders must have all the required Automatic general specifications. 	Sliding Door	units specified i	n the	
		c. The Contractor shall prepare all the needed drawings/plan of the replacement and installation works (mechanical, elec- subjected to review and approval by NPC Engineering Group	rical, civil, etc). These plans/		
		 d. Engineer(s)/personnel and technicians must be highly traduties in the entire project. 	ned and quali	fied to perform	their	
		e. The Contractor, upon completion of the project shall sub- (i) Operation and Maintenance Manual including P Diagram and Parts Identification Drawing.			t Schematic	
		(ii) As-Built Plans/Drawings of all the equipment and the implementation of the project.	d accessories	installed or mo	dified during	
	C. De	ivery:, a) Prior to the delivery of the units, coordination with the er avoid disturbance to the work of the NPC employees.	nd-user (GSD-1	FMD) must be	made to	
	D. Di	mantling: , a) Dismantling of the existing door units including all its auxidesignated by TFMD at Head Office Compound. All the dism be turned-over to NPC authorized representative.				
		 b. Prior to dismantling of the existing door (both the unit an shall be made to avoid conflict with other work schedule. 	d accessories)	coordination w	ith TFMD	
	D. Ins	tallation: 7 a) The Contractor shall submit at least a Rapid COVID 19 ant involved in the installation before entering the area.	gen test every	month of ever	y personnel	
		b) The Contractor shall follow IATF and DOE guidelines during Door. All requirements regarding COVID 19 policies should be limited to wearing of face mask and face shield, social distant	e strictly com			
		 c) In the event that a personnel is/are vaccinated against CO proof of vaccination on the technical personnel before enter 		ntractor should	submit	
		d) The Contractor shall work during after office hours, week	ends and holid	lays.		
		e) The Contractor shall clean affected employees work place "NP - Small Value Procureme		e work.	Mar.	
		by g to my the				

NATIONAL POWER CORPORATION

G/F Building 1 BIR Road corner Quezon Avenue, Diliman 1100 Quezon City, PHILIPPINES

MSSPD - LOGISTICS DEPARTMENT FAX NOS.: 8921-6048 / 8921-2468 Email: msspd@napocor.gov.ph

TEL. NOS. 8921-3541 to 80 8924-5494 / 5434 / 5284 / 5465

AFG-LOG-006.F03 Rev. No. 0



REPUBLIKA NG PILIPINAS

Pambansang Korporasyon Sa Elektrisidad (NATIONAL POWER CORPORATION)

P.O. No.

Page _____ of ___

This PO number must appear on all papers, invoices, packing list and correspondence.

PURCHASE ORDER

TO:

TRI-O DIGIGRAPHICS,

#40, Visayas Street, Filipinas Village, Malanday, Marikina City DATE:

June 24, 2022

PD NO .:

Malanday, Marikina City Tel No. 8941-9648 / Fax No. 7576-1043				SVP220511-RFZT119		
PR NO./ ITEM NO.	DESCRIPTION	OF MEAS	UNIT PRICE	AMOUNT		
HO-TF	M22-078 ,					
SCOPE	OF WORK:					
	f) Installation of the new Automatic Sliding Doors should be in Instructions of the manufacturer and all applicable codes and	n accordance standards a	with the specificable in this	ications and field of works.		
	 g) Installation of the new Automatic Sliding Doors to its design units are dismantled should have proper basing/foundation d 	nated location	on where the ex the design of t	sting door he post.		
	h) Electrical wiring will be installed with proper wiring protect	tion.				
	i) System should be properly grounded.					
	electrical power supply wiring thru PVC conduit using THHN/1	THWN wire	of appropriate s	zes, and control		
	k) The Automatic Sliding Door shall have a button for holding	the door in	case of emerger	ncies.		
	l) Test run, observation, adjustments if necessary and commis	ssioning.				
	m) All consumable items/materials to be used in the project s	shall be prov	ided by the Con	tractor.		
	 n) The Contractor shall comply with all the safety regulations project. 	of NPC duri	ng the impleme	ntation of the		
F. Clea	aning:					
	 a) The Contractor shall restore its original condition of all the during the intallation works. 	affected/da	maged structure	es/facilities		
	b) The Contractor shall clean affected employees work places	right after t	the work.			
	 c) Daily disposal of the dismantled tiles, debris, junks, dirt gar from NPC. 	bage with p	roper coordinati	on/permit		
G. Wa	The new Automatic Sliding Doors should have at least five other parts including the works undertaken.) years warra	nty and one (1)	year on the		
			1			
	F. Clea	HO-TFM22-078 , SCOPE OF WORK: f) installation of the new Automatic Sliding Doors should be instructions of the manufacturer and all applicable codes and g) installation of the new Automatic Sliding Doors to its design units are dismantled should have proper basing/foundation of h) Electrical wiring will be installed with proper wiring protect i) System should be properly grounded. j) installation of new circuit breaker of appropriate rating in Nelectrical power supply wiring thru PVC conduit using THHN/wiring of the units if necessary should be complete with fitting should be in accordance with the Philippine Electrical Code k) The Automatic Sliding Door shall have a button for holding i) Test run, observation, adjustments if necessary and commism Ali consumable items/materials to be used in the project on) The Contractor shall comply with all the safety regulations project. F. Cleaning: a) The Contractor shall restore its original condition of all the during the intallation works. b) The Contractor shall clean affected employees work places c) Daily disposal of the dismantled tiles, debris, junks, dirt gar from NPC. G. Warranty: The new Automatic Sliding Doors should have at least five is	HO-TFM22-078 , SCOPE OF WORK: f) Installation of the new Automatic Sliding Doors should be in accordance instructions of the manufacturer and all applicable codes and standards a g) Installation of the new Automatic Sliding Doors to its designated location units are dismantled should have proper basing/foundation depending on h) Electrical wiring will be installed with proper wiring protection. i) System should be properly grounded. j) Installation of new circuit breaker of appropriate rating in NEMA-4X endelectrical power supply wiring thru PVC conduit using THHIN/THWN wire wiring of the units if necessary should be complete with fittings and all as should be in accordance with the Philippine Electrical Code k) The Automatic Sliding Door shall have a button for holding the door in l) Test run, observation, adjustments if necessary and commissioning. m) All consumable items/materials to be used in the project shall be proven in the Contractor shall comply with all the safety regulations of NPC during project. F. Cleaning: a) The Contractor shall restore its original condition of all the affected/daduring the intallation works. b) The Contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees work places right after the contractor shall clean affected employees wor	HO-TFM22-078 , SCOPE OF WORK: f) installation of the new Automatic Sliding Doors should be in accordance with the specifinstructions of the manufacturer and all applicable codes and standards applicable in this g) installation of the new Automatic Sliding Doors to its designated location where the evanits are dismantled should have proper basing/foundation depending on the design of the Electrical wiring will be installed with proper wiring protection. i) System should be properly grounded. j) Installation of new circuit breaker of appropriate rating in NEMA-4X endosure for the lefectrical power supply wiring thru PVC conduit using THHN/THWN wire of appropriates wiring of the units if necessary should be complete with fittings and all accessories. All eleshould be in accordance with the Philippine Electrical Code k) The Automatic Sliding Door shall have a button for holding the door in case of emerger i) Test run, observation, adjustments if necessary and commissioning. m) All consumable items/materials to be used in the project shall be provided by the Conn) The Contractor shall comply with all the safety regulations of NPC during the implement project. F. Cleaning: a) The Contractor shall restore its original condition of all the affected/damaged structure during the intallation works. b) The Contractor shall clean affected employees work places right after the work. c) Daily disposal of the dismantled tiles, debris, junks, dirt garbage with proper coordinate from NPC. G. Warranty: The new Automatic Sliding Doors should have at least five [5] years warranty and one (1).		

NATIONAL POWER CORPORATION

G/F Building 1 BIR Road corner Quezon Avenue, Diliman 1100 Quezon City, PHILIPPINES MSSPD - LOGISTICS DEPARTMENT FAX NOS.: 8921-6048 / 8921-2468 Email: msspd@napocor.gov.ph

> AFG-LOG-006.F03 Rev. No. 0

TEL. NOS. 8921-3541 to 80 8924-5494 / 5434 / 5284 / 5465