



NATIONAL POWER CORPORATION

REQUEST FOR QUOTATION (SHOPPING – 52 .1 b)

November 14, 2024

Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. HO-MSD25-001 / REF NO. SHB241125 - KL00554 and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City **on or before 9:30 am of 25 November 2024.**

The following documents must be submitted together with your quotation:

For Platinum Members:

1. Valid and Updated Certificate of PhilGEPS Registration (This should include the attached "Annex A"). Mayor's Permit must be updated and current. Expired Mayor's Permit will disqualify the bid. The Mayor's Permit must be uploaded as "Annex A".

For Red or Blue Members:

1. Valid Mayor's Permit
2. PhilGEPS Registration Number ;

In case no bid or insufficient number or bids is received on **25 November 2024**, the deadline for submission may be extended, as follows:

First (1 st) Extension	:	<u>05 December 2024</u>
Second (2 nd) Extension	:	<u>20 January 2025</u>
Third (3 rd) Extension	:	<u>31 January 2025</u>


The RFQ/Bid Proposal shall be submitted by the bidder to NPC on the manner of submission based on the ABC as follows:

Approved Budget for the Contract (ABC)

- Up to Php100, 000.00 - via fax/e- mail/ bid proposal to procurement officer
- Above Php100,000.00 up to Php1,000,000.00 - via Sealed Offer (use drop box @ procurement office)

For further inquiries, please contact the BAC Secretariat, **Ms. Kristine L. Doronila** at telephone no/s. 8-924-5397 with e-mail address at kclacatan@napocor.gov.ph.

Very truly yours,


ATTY. MELCHOR P. RIDULME
 Chairman, Bids and Awards Committee



NATIONAL POWER CORPORATION
 Gabriel Y. Itchon Building
 Senator Miriam P. Defensor-Santiago Avenue (formerly BIR Road)
 corner Quezon Avenue, Diliman, Quezon City 1100, Philippines
 Tel. Nos. (632) 8921-3541 to 80 • Fax No. (632) 8921-2468
 Website: www.napocor.gov.ph





Republic of the Philippines
NATIONAL POWER CORPORATION

**TERMS OF REFERENCE
ALTERNATIVE MODE OF PROCUREMENT
(SHOPPING – 52.1 b)**

1. **Scope of Works:** PR NO. HO-MSD25-001/REF NO. SHB241125 - KL 00554

For the Supply and Delivery of Transformer Oil

Item No.	DESCRIPTION	QTY.	U/M	ABC (Php)
1	Transformer Oil 50kV Dielectric Strength, insulating Oil for Power Transformer, Place in Thick Metal Drum (see attached for complete specifications)	3	DRM	130,998.00
TOTAL AMOUNT				130,998.00

Note/s:

- a. Items to be supplied by the winning bidder should be brand new.
- b. Warranty should be at least three (3) months.

APPROVED BUDGET FOR THE CONTRACT: PHP 130,998.00

2. Delivery Period

Delivery Period shall not be later than 15 Calendar Days upon receipt of the Purchase Order / Notice to Proceed.

3. Delivery Point

Items shall be delivered at NPC – MRMD, Brgy. Buli, Muntinlupa City.

4. Bid Submission

The Bidder shall submit their bids through their authorized representative or in the manner of submission as prescribed in the RFQ.

5. Late Bids

Any Bid submitted after the deadline for submission and receipt of Bids shall not be accepted by NPC.

6. Bid Prices

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A Bid submitted with an adjustable price quotation shall be treated as non-responsive.

7. Bid Price Validity

Price Validity shall not be less than One Hundred Twenty (120) calendar days from date of bid submission.

8. Eligibility Criteria

- a. Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- b. From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Lowest Calculated Bid (LCQ).

9. Detailed Evaluation and Comparison of Bids

The LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

10. Post-qualification

Submitted documents of the LCQ shall be subjected to post qualification evaluation.

The bid that PASSED the Post-Qualification shall be declared as the Single /Lowest Calculated Responsive Quotation (S/LCRQ).

11. Total Contract Price

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

12. Notice to Supplier

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law.

13. PO Effectivity

- a. The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

14. Terms of Payment

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

15. Warranty

Warranty is dependent upon the nature/type of the item which is included in the offer (i.e. Manufacturer's Warranty), unless specifically required in the scope of works.

16. Liquidated Damages

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent (1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

17. Liability of the Supplier

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

18. Disclosure of Relations

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure or relations.

19. Administrative Sanctions

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

20. Reservation Clause

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

**SUPPLIER'S BID QUOTATION
(SHOPPING 52.1 b)**

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. **HO-MSD25-001**. I agree with the conditions of the TOR and offer the following supplies with specific description.

ITEM NO.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (PhP)	TOTAL PRICE (PhP)
1				
TOTAL BID PRICE				

Name and Signature of Authorized Representative

Date

Company Name

Contact Details

E-mail address

Note: The bidder may use this form or its own company letter head following this format duly signed by the authorized representative when making the offer.

PR NO. HO-MSD25-001

1. TRANSFORMER OIL – Insulating Transformer Oil with Dielectric Strength of >50KV

PASSED TESTING REQUIREMENT

VISCOSITY @ 40°C	:	atleast 9.0 mm ² /s (cSt)
WATER CONTENT	:	<20 mg/kg
BREAKDOWN VOLTAGE	:	> 50KV (After Treatment) > 20KV (Before Treatment)
DENSITY @ 20°C	:	atleast 0.875 kg/dm ³
COLOUR @ 15°C	:	<0.5 (Clear and Bright)
ACIDITY	:	<0.1 mg KOH/g
INTERFACIAL TENSION @ 25°C	:	47 mN/m
CORROSIVE SULPHUR	:	Non-Corrosive
POTENTIAL CORROSIVE SULPHUR	:	Non-Corrosive
METAL PASSIVATOR ADDITIVES	:	Not Detectable
OTHER ADDITIVES	:	Not Detectable

HEALTH SAFETY AND ENVIRONMENT (HSE)

FLASH POINT, PM °C	:	100 (at least)
PCA wt %	:	<3.0
PCB mg/lg	:	Not Detectable

Total Content per Drum : 200 Liters

- Complete testing with product data sheet.
- Accepted Test Method (ISO / IEC / ASTM)
- Testing Certificate.

Handwritten mark