

REPUBLIC OF THE PHILIPPINES NATIONAL POWER CORPORATION (Pambansang Korporasyon sa Elektrisidad)

# **BID DOCUMENTS**

| Name of Project: | SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT |
|------------------|--|
|                  | FOR AGUS 6 HEP SPILLWAY GATE NO. 4   |
|                  | (PR No. MG-A7M23-002)  |

| Project Location : | AGUS 6 HEP, ILIGAN CITY |
|--------------------|-------------------------|
| PR No. :           | MG-A7M23-002            |

1

## Contents

| SECTION I    | - | INVITATION TO BID                  |
|--------------|---|------------------------------------|
| SECTION II   | - | INSTRUCTION TO BIDDERS             |
| SECTION III  | - | BID DATA SHEETS                    |
| SECTION IV   | - | GENERAL CONDITIONS OF THE CONTRACT |
| SECTION V    | - | SPECIAL CONDITIONS OF THE CONTRACT |
| SECTION VI   | - | TECHNICAL SPECIFICATIONS           |
|              |   | PART I - TECHNICAL SPECIFICATIONS  |
|              |   | PART II - TECHNICAL DATA SHEETS    |
| SECTION VII  | - | SCHEDULE OF REQUIREMENTS           |
|              |   | (BID PRICE SCHEDULE)               |
| SECTION VIII | - | BIDDING FORMS                      |

**Design and Development Department** 

SECTION I

# **INVITATION TO BID**

.





## National Power Corporation INVITATION TO BID PUBLIC BIDDING – BCS 2023-0242

1. The NATIONAL POWER CORPORATION (NPC), through its approved Corporate Budget of CY 2023 intends to apply the sum of (Please see schedule below) being the Approved Budget for the Contract (ABC) to payments under the contract. Bids received in excess of the ABC shall be automatically rejected at Bid opening.

| PR Nos./PB Ref No. &<br>Description  | Similar Contracts   | Pre-bid<br>Conference     | Bid<br>Submission<br>/ Opening | ABC/ Amt. of<br>Bid Docs         |
|--|---|---------------------------|--------------------------------|----------------------------------|
| MG-A7M23-002 /<br>PB230703-RA00161<br>Supply, Delivery, Installation, Test<br>and Commissioning of Hydraulic<br>Power Unit for Agus 6 HEP<br>Spillway Gate No. 4                               | Supply, Delivery,<br>Installation, Test<br>and<br>Commissioning of<br>Hydraulic Power<br>Unit of Spillway<br>Gates for Hydro-<br>Electric Power<br>Plants | 19 June 2023<br>9:30 A.M. | 03 July 2023<br>9:30 A.M       | ₱ 16,620,000.00 /<br>₱ 25,000.00 |
| MG-A5C23-003 /<br>PB230703-RA00162<br>Supply/Fabrication, Test and<br>Delivery of Five (5) Sets of<br>Generator Thrust Bearing Oil<br>Cooler for the Two (2) Generating<br>Units of Agus 5 HEP | Supply and<br>Delivery of<br>Generator Spare<br>Parts for Hydro<br>Electric Power<br>Plant  | 19 June 2023<br>9:30 A.M. | 03 July 2023<br>9:30 A.M       | ₱ 15,000,000.00 /<br>₱ 25,000.00 |
| S1-NPS23-002 /<br>S1-SPS23-005 /<br>PB230221-JD (PB2)<br>Supply and Delivery of Line<br>Hardwares for Northern and<br>Southern Palawan SS & 69kV TL  | Supply and<br>Delivery of<br>Distribution /<br>Transmission Line<br>Hardwares   | 19 June 2023<br>9:30 A.M. | 03 July 2023<br>9:30 A.M       | ₱ 17,426,010.00 /<br>₱ 25,000.00 |

Venue: Kañao Function Room, NPC Bldg. Diliman, Quezon City

2. The NPC now invites bids for items listed above. Delivery of the Goods is required (see table below) specified in the Technical Specifications. Bidders should have completed, within (see table below) from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. (Instruction to Bidders).

| PR No/s. / PB Ref No/s.     | Delivery Period / Contract<br>Duration    | Relevant Period of SLCC reckoned from the date of submission & receipt of bids |
|-----------------------------|---|--|
| MG-A7M23-002                | One Hundred Twenty (120)<br>Calendar Days | Fifteen (15) Years   |
| MG-A5C23-003                | One Hundred Eighty (180)<br>Calendar Days | Fifteen (15) Years   |
| S1-NPS23-002 / S1-SPS23-005 | Ninety (90) Calendar Days                 | Ten (10) Years   |

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

- 4. Prospective Bidders may obtain further information from National Power Corporation, Bids and Contracts Services Division and inspect the Bidding Documents at the address given below during office hours (8:00AM to 5:00PM), Monday to Friday.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders from the given address and website(s) and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. <u>Bidding fee may be refunded in accordance with the guidelines based on the grounds provided under Section 41 of R.A. 9184 and its Revised IRR.</u>
- 6. The National Power Corporation will hold Pre-Bid Conference (see table above) and/or through video conferencing or webcasting which shall be open to prospective bidders.

Only registered bidder/s shall be allowed to participate for the conduct of virtual pre-bid conference. **Unregistered bidders** may attend the Pre-Bid Conference at the Kañao Room, NPC subject to the following:

- a. Only a maximum of two (2) representatives from each bidder / company shall be allowed to participate during the virtual pre-bid conference.
- b. A "No Face mask / No Entry" policy shall be implemented in the NPC premises. Face mask shall be 3-ply surgical or KN95 mask type.
- c. The requirements herein stated including the medium of submission shall be subject to GPPB Resolution No. 09-2020 dated 07 May 2020
- d. The Guidelines on the Implementation of Early Procurement Activities (EPA) shall be subject to GPPB Circular No. 06-2019 dated 17 July 2019
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below; (ii) online or electronic submission before the specified time stated in the table above for opening of bids. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on Kañao Function Room, NPC Head Office, Diliman, Quezon City and/or via online platform to be announced by NPC. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The National Power Corporation reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of R.A. No. 9184, without thereby incurring any liability to the affected bidder or bidders.

11. For further information, please refer to:

## Bids and Contracts Services Division, Logistics Department

BIR Road cor. Quezon Avenue Diliman, Quezon City Tel Nos.: 8924-5211 and 8921-3541 local 5564/5211 Fax No.: 8922-1622 Email: bcsd@napocor.gov.ph /

12. You may visit the following websites:

For downloading of Bidding Documents: https://www.napocor.gov.ph/bcsd/bids.php

/ RENE B. BARRUELA Vice President, Corporate Affairs Group and Chairman, Bids and Awards Committee

i

÷

SECTION II

# INSTRUCTIONS TO BIDDERS



ţ

### SECTION II - INSTRUCTIONS TO BIDDERS

# **SECTION II – INSTRUCTIONS TO BIDDERS**

## TABLE OF CONTENTS

## Clause No.

## Title

Page no.

| 1.  | SCOPE OF BID   |
|-----|--|
| 2.  | FUNDING INFORMATION  |
| 3.  | BIDDING REQUIREMENTS   |
| 4.  | CORRUPT, FRAUDULENT, COLLUSIVE, AND COERCIVE PRACTICES             |
| 5.  | ELIGIBLE BIDDERS   |
| 6.  | ORIGIN OF GOODS  |
| 7.  | SUBCONTRACTS   |
| 8.  | PRE-BID CONFERENCE   |
| 9.  | CLARIFICATION AND AMENDMENT OF BIDDING DOCUMENTS                   |
| 10. | DOCUMENTS COMPRISING THE BID: ELIGIBILITY AND TECHNICAL COMPONENTS |
| 11. | DOCUMENTS COMPRISING THE BID: FINANCIAL COMPONENT                  |
| 12. | BID PRICES   |
| 13. | BID AND PAYMENT CURRENCIES   |
| 14. | BID SECURITY   |
| 15. | SEALING AND MARKING OF BIDS  |
| 16. | DEADLINE FOR SUBMISSION OF BIDS                                    |
| 17. | OPENING AND PRELIMINARY EXAMINATION OF BIDS                        |
| 18. | DOMESTIC PREFERENCE  |
| 19. | DETAILED EVALUATION AND COMPARISON OF BIDS                         |
| 20. | Post-Qualification   |
| 21. | SIGNING OF THE CONTRACT  |
|     |  |



ł

## SECTION II – INSTRUCTIONS TO BIDDERS

## 1. Scope of Bid

The National Power Corporation (NPC or NAPOCOR) wishes to receive Bids for the SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4, with identification number PR NO. MG-A7M23-002.

The Procurement Project (referred to herein as "Project") is composed of one (1) lot and will be awarded to one (1) Bidder in one complete contract, the details of which are described in Section VI (Technical Specifications).

## 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for CY 2023 in the amount of ₽ 16,620,000.00.
- 2.2. The source of funding is the Corporate Operating Budget of the National Power Corporation.

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate when citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines.

The foreign bidder claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos shall submit a certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item/product. The said certification shall be validated during the post-qualification of bidders.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

## 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed twenty percent (20%) of the contracted Goods.

- 7.2. The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in ITB Clause 5 to the implementing or end-user unit.
- 7.3. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the IB.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

# 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (NPCSF-GOODS-01 Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within Fifteen (15) Years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.4. The Statement of the bidder's Single Largest Completed Contract (SLCC) (NPCSF-GOODS-03) and List of all Ongoing Government & Private Contracts Including Contracts Awarded but not yet Started (NPCSF-GOODS-02) shall comply with the documentary requirements specified in the **BDS**.

## 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (NPCSF-GOODS-01 Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.



## 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in the **BDS**.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

## 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

## 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid for **One Hundred Twenty (120) calendar** days from the date of opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

## 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the IB.

## 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.

#### SECTION II - INSTRUCTIONS TO BIDDERS

- 19.3. The descriptions of the lots or items shall be indicated in Section VI (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded to one (1) Bidder in one complete contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.



PR NO. MG-A7M23-002

.

ł

# SECTION III

# **BID DATA SHEET**



**BID DOCUMENTS** 

SECTION III - BID DATA SHEET

.

# **SECTION III - BID DATA SHEET**

| ITB<br>Clause |   |
|---------------|---|
| 5.3           | For this purpose, similar contracts shall refer to supply, delivery, installation, tes<br>and commissioning of Hydraulic Power Unit of spillway gates for hydro-electric<br>power plants.   |
|               | The Single Largest Completed Contract (SLCC) as declared by the bidder shal<br>be verified and validated to ascertain such completed contract. Hence, bidders<br>must ensure access to sites of such projects/equipment to NPC representatives<br>for verification and validation purposes during post-qualification process.                           |
|               | It shall be a ground for disqualification, if verification and validation cannot be<br>conducted for reasons attributable to the Bidder.  |
| 7.1           | Subcontracting may be allowed on transport, local/non-skilled labor under the supervision of the Bidder. The Bidder shall not be relieved from any liability of obligation that may arise from the performance of the Subcontractor.  |
| 10.4          | The list of on-going contracts (Form No. NPCSF-GOODS-02) shall be supported<br>by the following documents for each on-going contract to be submitted during<br><b>Post-Qualification</b> :  |
|               | 1. Contract/Purchase Order and/or Notice of Award   |
|               | <ol> <li>Certification coming from the project owner/client that the performance is<br/>satisfactory as of the bidding date</li> </ol>  |
|               | The bidder shall declare in this form all his on-going government and private<br>contracts including contracts where the bidder (either as individual or as a Join<br>Venture) is a partner in a Joint Venture agreement other than his current join<br>venture where he is a partner. Non declaration will be a ground for<br>disqualification of bid. |
|               | The Statement of the bidder's Single Largest Completed Contract (SLCC similar to the contract to be bid (Form No. NPCSF-GOODS-03) shall be supported by the following documents to be submitted during <b>Bid Opening:</b>  |
|               | 1. Contract/Purchase Order  |
|               | <ol> <li>Certificate of Acceptance; or Certificate of Completion; or Official Receip<br/>(O.R); or Sales Invoice</li> </ol>   |
|               | Any single bidder/s who already procured/secured the bidding documents bu<br>want to avail the Joint Venture Agreement (JVA) shall inform the BAC in writing<br>prior to the bid opening for records and documentation purposes.  |



SECTION III -- BID DATA SHEET

| 10.5 | <ul><li>Bidders shall also submit the following requirements in their first envelope, Eligibility and Technical Component of their bid:</li><li>1. Data and Information to be submitted with the Proposal as specified in</li></ul>   |
|------|---|
|      | Clause TS-7.0(a) of Section VI - Technical Specifications;  |
|      | Manufacturer's brochures, manuals and other supporting documents of<br>equipment, materials, hardware and tools proposed by the bidders must<br>comply with the technical specifications of such equipment, materials,<br>hardware and tools. It shall be a ground for disqualification if the submitted<br>brochures, manuals and other supporting documents are determined not<br>complying with the specifications during technical evaluation and post-<br>qualification process. |
|      | Equipment, materials, hardware and tools proposed by the winning bidder<br>to be supplied, which were evaluated to be complying with the technical<br>specifications, shall not be replaced and must be the same items to be<br>delivered/installed/used during the contract implementation. Any proposed<br>changes/replacement of said items may be allowed on meritorious reasons<br>subject to validation and prior approval by NPC.  |
|      | 2. Complete eligibility documents of the proposed sub-contractor, if any  |
| 12   | The price of the Goods shall be quoted DDP Project Site or the applicable International Commercial Terms (INCOTERMS) for this Project.  |
| 14.1 | The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:   |
|      | <ul> <li>a) The amount of not less two percent (2%) of ABC, if bid security is in cash,<br/>cashier's/manager's check, bank draft/guarantee or irrevocable letter of<br/>credit; or</li> </ul>  |
|      | <ul> <li>b) The amount of not less than five percent (5%) of ABC, if bid security is in<br/>Surety Bond.</li> </ul>   |
| 19.3 | The Goods are grouped together in one (1) lot and will be awarded to one (1) Bidder in one complete contract.   |
|      | Partial bid is not allowed. The Goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.  |
|      | The Bidders bid offer must be within the ABC of the lot.  |
|      | Bid offers that exceed the ABC of the lot or with incomplete price, shall be rejected.  |
| 19.5 | If the Bidder opted to submit a Committed Line of Credit (CLC), the bidder must submit a granted credit line valid/effective at the date of bidding.  |
|      |   |



.

| SECTION III - BID DATA SHEET |
|------------------------------|
|------------------------------|

| 20.1 | Additional documents to be submitted during Post-Qualification:   |
|------|---|
|      | <ul> <li>a. Contract/Purchase Order and/or Notice of Award for the contracts stated in<br/>the List of all Ongoing Government &amp; Private Contracts Including Contracts<br/>Awarded but not yet Started (NPCSF-GOODS-02);</li> </ul>  |
|      | <ul> <li>b. Certification coming from the project owner/client that the performance is<br/>satisfactory as of the bidding date for all ongoing contracts stated in Form<br/>NPCSF-GOODS-02;</li> </ul>  |
|      | <ul> <li>c. Documents to be submitted during post-qualification process as specified in<br/>TS-7.0(b) of Section VI-Technical Specifications</li> </ul>   |
|      | Manufacturer's brochures, manuals and other supporting documents of<br>equipment, materials, hardware and tools proposed by the bidders must<br>comply with the technical specifications of such equipment, materials,<br>hardware and tools. It shall be a ground for disqualification if the submitted<br>brochures, manuals and other supporting documents are determined not<br>complying with the specifications during technical evaluation and post-<br>qualification process. |
|      | Equipment, materials, hardware and tools proposed by the winning bidder to<br>be supplied, which were evaluated to be complying with the technical<br>specifications, shall not be replaced and must be the same items to be<br>delivered/installed/used during the contract implementation. Any proposed<br>changes/replacement of said items may be allowed on meritorious reasons<br>subject to validation and prior approval by NPC.  |
| 20.2 | The licenses and permits relevant to the Project and the corresponding law requiring it as specified in the Technical Specifications, if any.   |
| 21.2 | Notice to Proceed.  |



SECTION IV

# GENERAL CONDITIONS OF CONTRACT



## **SECTION IV – GENERAL CONDITIONS OF CONTRACT**

## TABLE OF CONTENTS

## Clause No.

## Title

Page no.

| 1. | SCOPE OF CONTRACT                    | 1 |
|----|--------------------------------------|---|
| 2. | ADVANCE PAYMENT AND TERMS OF PAYMENT | 1 |
| 3. | PERFORMANCE SECURITY                 | 1 |
| 4. | INSPECTION AND TESTS                 | 1 |
| 5. | WARRANTY                             | 2 |
| 6. | LIABILITY OF THE SUPPLIER            | 2 |

.



## **SECTION IV – GENERAL CONDITIONS OF CONTRACT**

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the secondary source for the terms and conditions.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. Performance Security

- 3.1. Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.
- 3.2. The performance bond to be posted by the Contractor must also comply with additional requirements specified in the **SCC**.

## 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section VI (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be



conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



PR NO. MG-A7M23-002

SECTION V

# SPECIAL CONDITIONS OF CONTRACT



SECTION V - SPECIAL CONDITIONS OF CONTRACT

# SECTION V - SPECIAL CONDITIONS OF CONTRACT

| GCC<br>Clause |  |
|---------------|--|
| 1             | Delivery and Documents –   |
|               | The delivery terms applicable to the Contract is DDP delivered to the project site specified in the technical specifications, in accordance with INCOTERMS. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.  |
|               | Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI – Technical Specifications. The details of shipping and/or other documents to be furnished by the Supplier are as follows:  |
|               | For Goods supplied from within the Philippines   |
|               | Upon delivery of the Goods to the Project Site, the Supplier shall notify the<br>Procuring Entity and present the following documents to the Procuring Entity:   |
|               | <ul> <li>Original and four copies of the Supplier's invoice showing Goods'<br/>description, quantity, unit price, and total amount;</li> </ul>   |
|               | (ii) Original and four copies of Supplier's factory test/inspection report;  |
|               | (iii) Original and four copies of the certificate of origin (for imported Goods);  |
|               | <ul> <li>Delivery receipt detailing number and description of items received<br/>signed by the Procuring Entity's representative at the Project Site;</li> </ul>   |
|               | <ul> <li>(v) Certificate of Completion/Inspection Report signed by the Procuring<br/>Entity's representative at the Project Site;</li> </ul>   |
|               | <ul> <li>Original and four copies of the Inspection Receiving Report signed by the<br/>Procuring Entity's representative at the Project Site;</li> </ul>   |
|               | (vii) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate; and   |
|               | (viii) Documents specified in the Technical Specifications, if any.  |
|               | For Goods supplied from abroad:  |
|               | Upon shipment, the Supplier shall notify the Procuring Entity and the insurance<br>company by e-mail the full details of the shipment, including Contract Number,<br>description of the Goods, quantity, vessel, bill of lading number and date, port<br>of loading, date of shipment, port of discharge etc. Upon delivery to the Project<br>Site, the Supplier shall notify the Procuring Entity and present the following<br>documents as applicable with the documentary requirements of any letter of<br>credit issued taking precedence: |



(i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount; Original and four copies of the negotiable, clean shipped on board bill of (ii) lading marked "freight pre-paid" and five copies of the non-negotiable bill of lading ; (iii) Original and four copies of Supplier's factory test/inspection report; Delivery receipt detailing number and description of items received (iv) signed by the Procuring Entity's representative at the Project Site; Certificate of Completion/Inspection Report signed by the Procuring (v) Entity's representative at the Project Site; Original and four copies of the Inspection Receiving Report signed by the (vi) Procuring Entity's representative at the Project Site; (vii) Original and four copies of the certificate of origin (for imported Goods); and (viii) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate including all other documents specified in the Technical Specifications, if any. For purposes of this Clause the Procuring Entity's Representative at the Project Site is VP - Mindanao Generations. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VII - Schedule of Requirements: performance or supervision of on-site assembly and/or start-up of the а. supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods: furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract: and training of the Procuring Entity's personnel, at the Supplier's plant and/or e. on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.



| f.                                      | Additional requirements specified in Section VI – Technical Specifications, if any.   |
|---|---|
| Su                                      | ne Contract price for the Goods shall include the prices charged by the upplier for incidental services and shall not exceed the prevailing rates harged to other parties by the Supplier for similar services.   |
| Sp                                      | pare Parts –  |
| an                                      | ne Supplier is required to provide all of the following materials, notifications,<br>ad information pertaining to spare parts manufactured or distributed by the<br>applier:  |
| 1.                                      | <ul> <li>such spare parts as the Procuring Entity may elect to purchase from the<br/>Supplier, provided that this election shall not relieve the Supplier of any<br/>warranty obligations under this Contract; and</li> </ul>   |
| 2.                                      | . in the event of termination of production of the spare parts:   |
|   | <ul> <li>advance notification to the Procuring Entity of the pending<br/>termination, in sufficient time to permit the Procuring Entity to<br/>procure needed requirements; and</li> </ul>  |
|   | <li>ii. following such termination, furnishing at no cost to the Procuring<br/>Entity, the blueprints, drawings, and specifications of the spare<br/>parts, if requested</li>   |
| {16                                     | e spare parts and other components required are listed in Section VI<br>echnical Specifications) and Section VII (Schedule of Requirements/Bid<br>ice Schedule) and the costs thereof are included in the contract price.   |
| 001                                     | e Supplier shall carry sufficient inventories to assure ex-stock supply of<br>nsumable spare parts or components for the Goods for the period specified<br>the Technical Specifications.  |
| Sp.<br>any                              | are parts or components shall be supplied as promptly as possible, but in y case, within three (3) months of placing the order.   |
| Pa                                      | ckaging –   |
| pre<br>ind<br>with<br>ten<br>Pao<br>app | e Supplier shall provide such packaging of the Goods as is required to<br>event their damage or deterioration during transit to their final destination, as<br>licated in this Contract. The packaging shall be sufficient to withstand,<br>hout limitation, rough handling during transit and exposure to extreme<br>nperatures, salt and precipitation during transit, and open storage.<br>ckaging case size and weights shall take into consideration, where<br>propriate, the remoteness of the Goods' final destination and the absence of<br>avy handling facilities at all points in transit. |
| sha<br>pro                              | e packaging, marking, and documentation within and outside the packages<br>all comply strictly with such special requirements as shall be expressly<br>ovided for in the Contract, including additional requirements, if any, specified<br>low, and in any subsequent instructions ordered by the Procuring Entity.   |



SECTION V - SPECIAL CONDITIONS OF CONTRACT

| The outer packaging must be clearly marked on at least four (4) sides as follows:  |
|--|
| Name of the Procuring Entity<br>Name of the Supplier<br>Contract Description<br>Final Destination<br>Gross weight<br>Any special lifting instructions<br>Any special handling instructions<br>Any relevant HAZCHEM classifications   |
| A packaging list identifying the contents and quantities of the package is to be<br>placed on an accessible point of the outer packaging if practical. If not practical<br>the packaging list is to be placed inside the outer packaging but outside the<br>secondary packaging.   |
| Transportation   |
| Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.  |
| Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.   |
| Where the Supplier is required under Contract to deliver the Goods CIF, CIP<br>or DDP, Goods are to be transported on carriers of Philippine registry. In the<br>event that no carrier of Philippine registry is available, Goods may be shipped<br>by a carrier which is not of Philippine registry provided that the Supplier obtains<br>and presents to the Procuring Entity certification to this effect from the nearest<br>Philippine consulate to the port of dispatch. In the event that carriers of<br>Philippine registry are available but their schedule delays the Supplier in its<br>performance of this Contract the period from when the Goods were first ready<br>for shipment and the actual date of shipment the period of delay will be<br>considered force majeure. |
| The Procuring Entity accepts no liability for the damage of Goods during transit<br>other than those prescribed by INCOTERMS for DDP deliveries. In the case<br>of Goods supplied from within the Philippines or supplied by domestic Suppliers<br>risk and title will not be deemed to have passed to the Procuring Entity until<br>their receipt and final acceptance at the final destination.  |
| Intellectual Property Rights –   |
| The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.  |



SECTION V - SPECIAL CONDITIONS OF CONTRACT

| 2.2 | Advance payment not to exceed fifteen percent (15%) of the contract amount<br>shall be allowed and paid within sixty (60) calendar days from effectivity of the<br>contract and upon the submission to and acceptance by the Procuring Entity<br>of an irrevocable letter of credit or bank guarantee issued by a Universal or<br>Commercial Bank. The irrevocable letter of credit or bank guarantee must be<br>for an equivalent amount, shall remain valid until the goods are delivered, and<br>accompanied by a claim for advance payment.<br>All progress payments shall first be charged against the advance payment until<br>the latter has been fully exhausted.<br>The terms of payment shall be as follows:   |
|-----|--|
|     | 1) For Supply and Delivery Contracts:  |
|     | <ul> <li>(a) On Contract Effectivity: Advance payment of Fifteen percent (15%) of<br/>the total Contract Price shall be paid within sixty (60) days from<br/>effectivity of the Contract and upon submission of a claim and an<br/>irrevocable letter of credit or bank guarantee issued by a Universal or<br/>Commercial Bank for the equivalent amount valid until the Goods are<br/>delivered and in the form provided in Section VIII- Bidding Forms.</li> </ul>   |
|     | (b) On Delivery: Eighty percent (80%) of the Contract Price of the delivered Goods shall be considered for payment, less the total amount of advance payment, if any and other deductions. If the amount is sufficient to fully recoup the advance payment, the remainder after deductions shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the <u>SCC</u> provision on Delivery and Documents. Otherwise, the total delivery payment shall be charged against the advance payment and the remaining advance payment will be fully recouped from the succeeding claims.  |
|     | (c) On Acceptance: The remaining twenty percent (20%) of the Contract<br>Price of the <i>delivered Goods</i> shall be paid to the Supplier within sixty<br>(60) days after the date of submission of the acceptance and<br>inspection certificate for the respective delivery issued by the<br>Procuring Entity's authorized representative. In the event that no<br>acceptance certificate is issued by the Procuring Entity's authorized<br>representative within forty five (45) days after successful test and<br>commissioning, if required, the Supplier shall have the right to claim<br>payment of the remaining twenty percent (20%) subject to the<br>Procuring Entity's own verification of the reason(s) for the failure to<br>issue documents (vii) and (viii) as described in the <u>SCC</u> provision on<br>Delivery and Documents. |
|     | 2) For Supply, Delivery, Installation, Test and Commissioning Contracts:   |
|     | (a) On Contract Effectivity: Advance payment of Fifteen percent (15%) of<br>the total Contract Price shall be paid within sixty (60) days from<br>effectivity of the Contract and upon submission of a claim and an<br>irrevocable letter of credit or bank guarantee issued by a Universal or   |

Commercial Bank for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII- Bidding Forms.

- (b) On Delivery: Eighty percent (80%) of the price of the delivered Goods, excluding price for installation, test and commissioning shall be considered for payment, less the total amount of advance payment, if any and other deductions. If the amount is sufficient to fully recoup the advance payment, the remainder after deductions shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the SCC provision on Delivery and Documents. Otherwise, the total delivery payment shail be charged against the advance payment and the remaining advance payment will be fully recouped from the succeeding claims.
- (c) On Acceptance: The remaining twenty percent (20%) of the price of the **delivered Goods** plus price for installation, test and commissioning shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days after successful test and commissioning, the Supplier shall have the right to claim payment subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the <u>SCC</u> provision on Delivery and Documents.

# 3) For Supply, Delivery, Installation, Test and Commissioning Contracts where Installation, Test and Commissioning prices are included in the supply price:

- (a) On Contract Effectivity: Advance payment of Fifteen percent (15%) of the total Contract Price shall be paid within sixty (60) days from effectivity of the Contract and upon submission of a claim and an irrevocable letter of credit or bank guarantee issued by a Universal or Commercial Bank for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII- Bidding Forms.
- (b) On Delivery: Sixty percent (60%) of the price of the delivered Goods shall be considered for payment, less the total amount of advance payment, if any and other deductions. If the amount is sufficient to fully recoup the advance payment, the remainder after deductions shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the <u>SCC</u> provision on Delivery and Documents. Otherwise, the total delivery payment shall be charged against the advance payment and the remaining advance payment will be fully recouped from the succeeding claims.
- (c) On Acceptance: The remaining forty percent (40%) of the price of the delivered Goods shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's



SECTION V - SPECIAL CONDITIONS OF CONTRACT

|     | authorized representative. In the event that no acceptance certificate<br>is issued by the Procuring Entity's authorized representative within<br>forty five (45) days after successful test and commissioning, the<br>Supplier shall have the right to claim payment subject to the Procuring<br>Entity's own verification of the reason(s) for the failure to issue<br>documents (vii) and (viii) as described in the <u>SCC</u> provision on Delivery<br>and Documents  |
|-----|--|
| 3.2 | <ol> <li>The following must be indicated in the performance bond to be posted by the Contractor:         <ol> <li>Company Name</li> <li>Correct amount of the Bond</li> <li>Contract/Purchase Order Reference Number</li> <li>Purpose of the Bond:</li></ol></li></ol>   |
|     | <ol> <li>The bond shall remain valid and effective until the duration of the contract<br/>(should be specific date reckoned from the contract effectivity) plus sixty<br/>(60) days after NPC's acceptance of the last delivery/final acceptance of<br/>the project.</li> </ol>  |
|     | 3. In case of surety bond, any extension of the contract duration or delivery period granted to the CONTRACTOR shall be considered as given, and any modification of the contract shall be considered as authorized, as if with the expressed consent of the surety, provided that such extension or modifications falls within the effective period of the said surety bond. However, in the event that the extension of the contract duration or delivery schedule would be beyond the effective period of the surety bond first posted, it shall be the sole obligation of the CONTRACTOR to post an acceptable Performance Security within ten (10) calendar days after the contract duration/delivery period extension has been granted by NPC. |
|     | <ul> <li>4. Other required conditions in addition to the standard policy terms issued by the Bonding Company:</li> <li>i. The bond is a penal bond, callable on demand and the entire amount thereof shall be forfeited in favor of the Obligee upon default of the Principal without the need to prove or to show grounds or reasons for demand for the sum specified therein;</li> </ul>   |
|     | <ul> <li>ii. The amount claimed by the Obligee under this bond shall be paid in full and shall never be subject to any adjustment by the Surety;</li> <li>iii. In case of claim, the Surety shall pay such claim within sixty (60) days from receipt by the Surety of the Obligee's notice of claim/demand</li> </ul>  |
| 4   | letter notwithstanding any objection thereto by the Principal.<br>The inspections and tests that will be conducted are specified in the Technical Specifications.  |



SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

PR NO. MG-A7M23-002

# **SECTION VI**

# TECHNICAL SPECIFICATIONS

# (PART I – TECHNICAL SPECIFICATIONS)



VI(TS)-i

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO.4

PR NO. MG-A7M23-002

# Section VI - Technical Specifications

# Part I - Technical Specifications

## TABLE OF CONTENTS

### CLAUSE NO.

## <u>TITLE</u>

PAGE NO.

| TS-1.0 | GENERAL                              | .1  |
|--------|--------------------------------------|-----|
| TS-2.0 | SCOPE OF WORK                        | . 1 |
| TS-3.0 | CONTRACT PERIOD AND LOCATION         | .6  |
| TS-4.0 | EXPERIENCE OF SUPPLIER/CONTRACTOR    | .6  |
| TS-5.0 | PERFORMANCE REQUIREMENTS             | .6  |
| TS-6.0 | TESTING AND ACCEPTANCE CRITERIA      | .6  |
| TS-7.0 | DRAWINGS & DOCUMENTS TO BE SUBMITTED | .8  |
| TS-8.0 | GUARANTEE                            | .9  |



PR NO. MG-A7M23-002

## Section VI - Technical Specifications

## Part I – Technical Specifications

### TS-1.0 GENERAL

The specification covers the technical requirements for the furnishing of labor, materials, tools and equipment/components for the Supply, Delivery, Installation Test and Commissioning of Hydraulic Power Unit for Agus 6 HEP Spillway Gate No.4.

All replacement materials to be used and applied into the equipment/components shall be new and unused. They shall be suitable for the intended purpose and shall comply with all applicable regulations, quality, and standards.

The Supplier/Contractor shall accept full responsibility for the conformance of his work to the specifications, documentation, reports, fabrication, assembly, corrosion protection, shop testing, preparation for shipment, field testing, warranty provisions and compliance with the applicable codes and standards and the requirements of this Specification.

Utmost care shall be strictly observed by the Supplier/Contractor during delivery and conduct of work to avoid damage of any kind to the supplied materials and the existing equipment and structure at site.

In the event that any such damage should occur due to the carelessness, negligence or fault of the Supplier/Contractor, the Supplier/Contractor shall repair or replace all damaged items at his own expense and to the satisfaction of NPC.

### TS-2.0 SCOPE OF WORK

The scope works and services to be performed by the Supplier/Contractor under this contract shall include but not limited to:

1. Conduct actual verification/inspection of the equipment/components/auxiliaries at site to have clear view and understanding with regards to the Contractor's scope of works, equipment location, power source/connection, pipe route and tapping connection. Contractor's representative who shall conduct on-site inspection shall be technically knowledgeable on this project;



. \*\*

#### SECTION VI - TECHNICAL SPECIFICATIONS

- 2. Supply of Spillway Gate No. 4's Hoisting/Lifting Equipment
  - 2.1 One (1) Unit of New Hydraulic Power Unit which includes the following components:

|    | Description  | Quantity |
|----|--|----------|
| a. | Electric motor 20 HP, 3Ø, 440/240V with space heater   | 1 unit   |
| b. | Reciprocating/Piston Pump (Variable displacement   | 1 unit   |
| с. | Oil Reservoir 400 liters, mild steel (sand blasted to SA 2.25 with zinc epoxy paint) with drain line   | 1 unit   |
| d. | Bell housing and coupling  | 1 unit   |
| e. | Return line filter   | 1 unit   |
| f. | Indicator  | 1 unit   |
| g  | Relief Valve protecting for buckling load  | 2 units  |
| h. | Manifold for piloting inclusive one piece of Manual<br>Directional Valve, one piece of Solenoid Operated<br>Directional Valve and three pieces of cartridge<br>Shuttle Valve | 1 unit   |
| i. | Counterbalance   | 2 units  |
| j. | Level gauge  | 1 unit   |
| k. | Thermostat   | 1 unit   |
| Ι. | Float switch   | 1 unit   |
| m. | Relief valve   | 1 unit   |
| n. | Filler cap   | 1 unit   |
| 0. | Pressure Gauges  | 2 units  |
| р. | Power pack piping  | 1 lot    |
| q. | Hydraulic Oil  | 1 lot    |

- 2.2 One (1) Unit Hydraulic Cylinder:
  - a. Fabrication of one (1) unit structural mounting base of cylinder on site
  - b. Erection of Cylinder
  - c. Mounting of dam gate to cylinder and rod mounting
  - d. Fabrication of cylinder rod end base on dam gate

| Hydraulic Cylinder Technical Data |   |              |  |
|-----------------------------------|---|--------------|--|
| <ul> <li>Bore</li> </ul>          | : | 200 mm       |  |
| <ul> <li>Rod Diameter</li> </ul>  | : | 125 mm       |  |
| <ul> <li>Stroke</li> </ul>        | : | 9,000 mm     |  |
| <ul> <li>Mounting</li> </ul>      | : | Front Flange |  |
| Rod End Mounting                  | : | Flange Type  |  |

PR NO. MG-A7M23-002

2.3 One (1) Lot –Installation of Hydraulic Piping from viewing deck to power back pack to cylinder complete with pipe fittings, pipe clamp support and other accessories to complete the piping requirement as follows:

|            | Description                                     | <u>Quantity</u> |
|------------|---|-----------------|
| а.         | Stainless Steel Tubes: 10 mm x 1.5 mm x 6 m     | 20 pcs.         |
| b.         | Stainless Steel Tubes: 16 mm x 2.0 mm x 6 m     | 20 pcs          |
| c.         | Stainless Steel Tubes: 30 mm x 2.0 mm x 6 m     | 15 pcs.         |
| d.         | Stainless Steel Stud Coupling: GEV30L1BSPP      | 3 pcs           |
| e.         | Stainless Steel Stud Elbow: WEV30L1BSPP         | 2 pcs.          |
| f.         | Stainless Steel Equal Elbow: WV30L              | 16 pcs.         |
| g.         | Stainless Steel Stud Coupling: GEV10S1/2NPT     | 4 pcs.          |
| <u>h</u> . | Stainless Steel Straight Coupling: GV165        | 10 pcs          |
| i.         | Polycarbonate Stainless Steel Pipe Clamp: 30 mm | 70 pcs.         |
| j.         | Polycarbonate Stainless Steel Pipe Clamp: 16 mm | 100 pcs.        |
| k.         | Polycarbonate Stainless Steel Pipe Clamp: 10 mm | 100 pcs.        |
| Ι.         | Pipe clamps support                             | 1 lot           |

2.4 One (1) Lot of Electric Motor and Control System's wiring complete (including installation) with the following:

|    | Description                           | Quantity |
|----|---------------------------------------|----------|
| а. | Wye Delta 20HP w/ Enclosure           | 1 unit   |
| b. | Control Box, 8"x30"x 24"              | 1 unit   |
| с. | Control Box, 8"x16"x20"               | 1 unit   |
| d. | Emergency Stop, Twist to reset        | 2 units  |
| e. | Royal Cord # 16/3                     | 1 set    |
| f. | Royal Cord # 8/3                      | 1 set    |
| g. | 100 mm x Cable Tie, 3"                | 1 set    |
| h. | Illuminated Push Buttons, 25 mm Green | 2 units  |
| i. | Illuminated Push Buttons, 25 mm Red   | 2 units  |
| j. | Y-Terminal Lugs #16                   | 100 pcs. |
| k. | Wire Tagging                          | 2 Lot    |

### Note:

- Electrical supply for welding machine shall be supplied by Agus 6 HEP
- Crane for lifting of items shall be provided by the winning bidder
- Agus 6 HEP shall provide storage for materials safe keeping
- Electrical controls for solenoid directional valve included



PR NO. MG-A7M23-002

2.5 One (1) Set - PLC Controller System which consists of the following equipment/components:

|    | Description   | <u>Quantity</u> |
|----|---|-----------------|
| a. | Signal Converter  | 1 unit          |
| þ. | RS 485 to USB converter for the positioning sensor<br>output to connect the positioned sensor to PC   | 1 unit          |
| c. | RS 422 to analog converter for the positioning<br>output sensor A converter module to convert the<br>positioning sensor RS 422 output to analogue +/-<br>10V, 0-20 mA or 4-20 mA  | 1 unit          |
| d. | HMI/SCADA, comfort panel, touch operation, 7"<br>widescreen TFT- display, 16 Mil. colors, profinet<br>interface, MPI/profibus DP interface 12 MB user<br>memory, windows CE 6.0, configurable PLC CPU<br>17, I/O 31 Local | 1 unit          |
| e. | Power Supply: DC 20.4-28.8V DC, program/data memory:100 KB  | 1 unit          |
| f. | Bus connector for profibus up to 12 MBIT/S, 15.8 x<br>54 x 39.5 mm terminal, resist with isolate, function,<br>with PG socket   | 1 unit          |
| g. | Base unit BU15-P16+A0+2B, BU type A-, push-in<br>terminals, w/o aux-terminals, bridged to left BU<br>WXH: 15 mm x 117 mm 6Es  | 2 units         |
| h. | Bundle profibus IM, max.32 periphery modules and<br>16 ET200 AL modules, multi hot swap, bundle<br>contains: interface module, server module, profibus<br>connector   | 1 unit          |
| i. | Analog input module, A1 2X1 2-/4 wire stranded<br>packing unit: 1 piece fits to BU-type A0, A1 color<br>code CC05, module diagnosis, 16 bit   | 1 unit          |
| j. | Analog output module , AQ 2XU/I high features fits<br>to BU-type A0, A1, color code CC00, channel<br>diagnosis, 16 Bit +/-0.1%  | 1 unit          |

- 2.6 One (1) unit of Ultrasonic Water Level Sensor with the following features:
  - Measuring
  - Range
  - Accuracy
  - Frequency
  - Signal Resolution
  - Output
  - Mounting
  - Operating Temp.
  - Dimension

Features

- : Pulse
- : 0-15 meters
- : ±2
- : 80 GHz
- : 0.3 µA
- : 4-20 mA
- : Thread/Locknut
- : -40°C up to +80°C
- : 60 mm x 109 mm



SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO.4

SECTION VI – TECHNICAL SPECIFICATIONS

PR NO. MG-A7M23-002

### Features

- Data Logger
  - Storage Capacity
  - Cycle
  - Channels
- Controller
  - Flash Controller
  - Watch Dog Function
    - Interface
  - Housing
  - Software
  - Transmission Protocol
  - Power
    - Operation

: 32 Bit : RTC-IC (Real Time Clock)

: 16 MB (Approx. 1,120,000

measuring values)

Maximum of 32

: 1 x RS232

: 2 minutes

- : Polycarbonate, IP65, 157 x 126 x 60 mm
- : Compatible Window 10, ASII Storage
- : Data Retrieval via 2G/3G/4G
- : 12 V, Active power consumption: Max. of 400 mA
- : 3 Multi Function Keys, 3 lines/16 characters LCD
- 3. Mobilization/De-mobilization;
- 4. Dismantling/removal of Hydraulic Power Unit No. 4 and associated components/auxiliaries/accessories. Dismantled/removed Electro-Mechanical Control equipment/ components/parts and other waste materials shall be placed into certain area inside the plant site to be specified by authorized NPC personnel;
- Design, construct and install HPU with due consideration to accessibility, passageway, and maintenance space requirement of the equipment. Any modification/rectification to the specified location of the HPU as specified by NPC-Agus 6 shall have NPC's approval first without additional cost to NPC;
- 6. Provide tools, equipment and materials/consumables i.e., power and instrument cables, flexible hose, and hydraulic oil necessary for system installation, operation and up to satisfactory completion of the work;
- 7. Provide services of highly qualified and experienced technical personnel having expertise in the HPU installation, test and commissioning;
- 8. Provide services of highly qualified and experienced technical personnel having expertise in the upgrading/installation of HPU and associated components/auxiliaries/accessories, test and commissioning;
- 9. Conduct training for plant personnel on technical, operation and proper operation and maintenance of the HPU at site for at least four (4) days;



SECTION VI - TECHNICAL SPECIFICATIONS

PR NO. MG-A7M23-002

- 10. Conduct test and commissioning of HPU and associated components/auxiliaries/accessories including its control system;
- 11. Corrosion protection and painting;
- 12. Clean-up of work areas after the completion of work covered by the contract; and;
- 13. Other works and services which are deemed included and inherent to the complete, safe and reliable operation of the HPU.

#### TS-3.0 CONTRACT PERIOD AND LOCATION

The contract period shall be **ONE HUNDRED TWENTY (120) CALENDAR DAYS** reckoned from the date stated in the Notice to Proceed.

HPU No. 4 of Agus 6 HEP Spillway Gate # 4 shall be delivered, installed, tested and commissioned at plant site (Agus 6 HEP, Iligan City).

The Supplier/Contractor shall be responsible for visiting the site and take particular reference to its accessibility, means of communication and transportation, and all other factors that could hamper the smooth execution of the contract.

Any and/or all expenses arising through the lack of knowledge or understanding regarding the existing conditions of the site shall be the responsibility of the Supplier/Contractor and no additional payment thereof shall be made by NPC.

#### TS-4.0 EXPERIENCE OF SUPPLIER/CONTRACTOR

The Supplier/Contractor should have been in the business of designing/manufacturing/repairing and installing of HPU of Spillway gates of hydro plants for not less than five (5) years.

#### TS-5.0 PERFORMANCE REQUIREMENTS

The upgrading of HPU and associated components/auxiliaries/accessories shall satisfactorily meet the requirements of the BD.

#### TS-6.0 TESTING AND ACCEPTANCE CRITERIA

The Supplier/Contractor shall perform at his own expense all tests required to ensure adequacy of design, material, workmanship and conformance of the supplied equipment to the guaranteed data and other requirements of the specifications and standards.



SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO.4

#### SECTION VI - TECHNICAL SPECIFICATIONS

The upgrading of HPU and associated components/auxiliaries/accessories shall be subjected to the manufacturer's standard factory tests prior to delivery.

The Supplier/Contractor shall submit Certified test reports/results of all tests conducted to all equipment/ components/auxiliaries/accessories to be supplied and shall be submitted to NPC for evaluation and acceptance.

Upon arrival of equipment and/or materials at site, NPC and the Supplier/Contractor or their authorized representatives, shall jointly verify the delivered equipment/components/auxiliaries/accessories and/or materials following the steps below:

- Inspection and verification of the packing list;
- Visual inspection of the condition of the packing and its surfaces; and
- Opening of the crates and plastic sheet protection to verify the content and its physical condition and to check the pilferage or damage during shipment and storage.

A record shall be prepared carefully noting all eventual shortages, defects or damages, signed by the Supplier/Contractor and concurred by NPC. All shortages and damages noted shall be immediately replaced by the Supplier/Contractor at his own cost. Supplier/Contractor shall also ensure the timely delivery of such replacement without affecting the agreed overall contract implementation schedule.

After full completion of the equipment/components/auxiliaries/accessories, the Supplier/Contractor together with NPC authorized representative/s (witness) shall carry out functional test to confirm that the supplied equipment/components/auxiliaries/accessories will operate perform and satisfactorily in accordance with the requirements of the specifications and to the satisfaction of NPC representative/s.

If any equipment/component fails to pass the required test, NPC may, at his own judgment, direct the Supplier/Contractor to make necessary corrections or alterations for defects or order the replacement materials as may be deemed appropriate. Any expenses due to additional tests or retests made necessary by failure of the Supplier/Contractor's repaired equipment, i.e. failure to meet the guarantees and other requirements of the specifications, shall be borne by the Contractor.

Acceptance Certificate shall be issued only upon completion of the following:

The scope of works stated herein are fully delivered, installed and inspected and the required test and commissioning are satisfactorily conducted, and results are acceptable to NPC's authorized plant personnel. Test result/s shall be signed by the representatives of the Contractor and NPC;



SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO.4

#### SECTION VI - TECHNICAL SPECIFICATIONS

PR NO. MG-A7M23-002

- On-site training of key plant personnel on proper operation and maintenance of the HPU has been conducted; and
- Submission of documents as specified in Clause TS-7.0 (item c) of the Technical Specifications.

#### TS-7.0 DRAWINGS & DOCUMENTS TO BE SUBMITTED

- a. Documents to be submitted with the bid/proposal for evaluation:
  - a.1 Certificate of Site Inspection signed by the NPC's Authorized Plant Personnel and approved by Plant Manager of Agus 6 HEP;
  - a.2 Completely filled-out Technical Data Sheet;
  - a.3 Work Plan/Schedule (Bar Chart)
  - a.4 Authorization to bid from any of the following:
    - > Original Equipment Manufacturer (OEM)

In case of authorized Distributor issuing the authority to bid, it shall be accompanied by a Certificate of Authorized Distributorship from the Manufacturer.

- Note: Authorization to bid and Certificate of Distributorship from the Manufacturer shall be current and valid on the date of bid opening as advertised.
- b. To be submitted during post qualification:
  - b.1 Certificate from Supplier's customer that their supplied equipment is/are similar to the item/s subject for bidding and has/have performed satisfactorily in service. The certification must indicate in the PR/Reference Number and date of issuance;
  - b.2 Letter of Confirmation from the Manufacturer that a local agent or representative is available to provide "After Sales Service" to the supplied components/parts/accessories during and after the warranty period. Name, address and contact number shall be provided;
  - b.3 Product Brochure/Catalogues/ Technical Data/Drawings of the Hydraulic Power Unit (HPU) being offered to adequately support the Supplier's submitted and filled-out Technical Data Sheet;
- c. To be submitted before or upon delivery:
  - c.1 "Certificate of Origin" from the Original Equipment Manufacturer;
  - c.2 "Warranty Certificate" for one (1) year against factory defects/workmanship;

SECTION VI - TECHNICAL SPECIFICATIONS

PR NO. MG-A7M23-002

- c.3 Shop Test Report issued by the manufacturer;
- c.4 Installation Manual(s);
- c.5 Mill Certificate from the Manufacturer,
- c.6 Certificate to show that the item to be delivered is brand new; and
- c.7 Three (3) sets of Operation and Maintenance Manual including three (3) set CD for HPU.

All drawings and documents in Clause TS-7.0 b including other drawings/ documents specified in Clause TS- 6.0 shall be submitted to The Manager-Agus6 HEPP for evaluation and acceptance.

#### TS-8.0 GUARANTEE

The Supplier/Contractor shall guarantee that he will repair and/or replace at his own cost, the supplied equipment/component against defect in workmanship and materials for a period of one (1) year after issuance of Acceptance Certificate by NPC.

The Contractor shall submit a Warranty Certificate effective from the date of acceptance by NPC.

After the lapse of the warranty period, provided that there are no defects found, NPC shall release the warranty security/certificate.



SECTION VI - TECHNICAL SPECIFICATIONS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

PR NO. MG-A7M23-002

## **SECTION VI**

# TECHNICAL SPECIFICATIONS

# (PART II - TECHNICAL DATA SHEETS)



## Section VI - Technical Specifications

## Part II - Technical Data Sheets

## TABLE OF CONTENTS

| SECTION | DESCRIPTION                          | PAGE  |
|---------|--------------------------------------|-------|
|         | Equipment/Components Data            |       |
| 1.0     | Hydraulic Power Unit                 | TDS-1 |
| 2.0     | linstallation of Hydraulic Piping    | TDS-2 |
| 3.0     | Wiring of Electric Motor and Control | TDS-3 |
| 4.0     | PLC Controller                       | TDS-3 |



## Section VI - Technical Specifications

## Part II - Technical Data Sheets

### TABLE OF CONTENTS

| SECTION | DESCRIPTION                          | PAGE  |
|---------|--------------------------------------|-------|
| l.      | Equipment/Components Data            |       |
| 1.0     | Hydraulic Power Unit                 | TDS-1 |
| 2.0     | linstallation of Hydraulic Piping    | TDS-2 |
| 3.0     | Wiring of Electric Motor and Control | TDS-3 |
| 4.0     | PLC Controller                       | TDS-3 |

### PART II – TECHNICAL DATA SHEETS

#### SUPPLY, DELIVERY, INSTALLATION TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO.4

- 1. The Bidder shall complete this technical data sheet and submit the filled out form with the technical proposal. The Bidder shall use continuation sheets as necessary for any other additional information keeping to the format shown herein or by reproducing the same.
- 2. NPC reserves the right to reject Bids without proper and/or specific data and information as required herein.
- 3. The data required are technical features and characteristics of the Equipment/Component/Parts to be provided by the bidder. Bidder's proposal shall at least be equal or superior to the requirements specified by NPC.

### I. EQUIPMENT/COMPONENT DATA

| ITEM | DESCRIPTION                               | UNIT   | NPC REQUIREMENT   | SUPPLIER's<br>DATA |
|------|---|--------|---|--------------------|
| 1.0  | Hydraulic Power Unit <sup>1/</sup>        |        |   |                    |
| 1.1  | Hydraulic Electric Motor Pu               | mp     |   |                    |
|      | a. Electric Motor                         |        |   |                    |
|      | Name of Manufacturer                      |        | By Contractor/Supplier  |                    |
|      | <ul> <li>Place of Manufacturer</li> </ul> |        | By Contractor/Supplier  |                    |
|      | <ul> <li>Quantity</li> </ul>              | unit   | One (1)   |                    |
|      | <ul> <li>Type/Model</li> </ul>            |        | By Contractor/Supplier  |                    |
|      | Rating                                    | hp/v/ø | 20 HP, 440/220 V, 3 ø   | _                  |
|      | b. Reciprocating/Piston<br>Pump           |        |   |                    |
|      | <ul> <li>Name of Manufacturer</li> </ul>  |        | By Contractor/Supplier  |                    |
|      | <ul> <li>Place of Manufacturer</li> </ul> |        | By Contractor/Supplier  |                    |
|      | Type/Model                                |        | By Contractor/Supplier  |                    |
|      | <ul> <li>Quantity</li> </ul>              | unit   | One (1)   |                    |
|      | <ul> <li>Flow/Capacity</li> </ul>         |        | By Contractor/Supplier  |                    |
|      | ■ Pressure                                |        | By Contractor/Supplier  |                    |
|      | Displacement                              |        | Variable displacement-pressure/flow<br>compensated                            |                    |
| 1.2  | Oil Tank/Reservoir                        |        |   |                    |
|      | <ul> <li>Capacity</li> </ul>              | Liters | 400   |                    |
|      | <ul> <li>Material</li> </ul>              |        | Mild steel (sand blasted to SA 2.25 with<br>zinc epoxy paint) with drain line |                    |
|      | Quantity                                  | unit   | One (1)   |                    |

<sup>1/</sup>- Details/technical data/information shall be verified by the Supplier/Contractor during site inspection.

Name of Firm

Name & Signature of Representative

Designation

SECTION VI - TECHNICAL SPECIFICATIONS

PR NO. MG-A7M23-002

| ITEM | DESCRIPTION   | UNIT | NPC REQUIREMENT  | SUPPLIER's<br>DATA |
|------|---|------|--|--------------------|
| 2.0  | Other Components<br>Installation of Hydraulic<br>Piping (from viewing deck to<br>power back pack to cylinder).<br>Note: Piping not exposed to<br>outdoor are made of<br>steel fittings. | lot  | <ul> <li>One (1) Lot: Consists of the following : <ul> <li>Bell housing and coupling- 1 unit</li> <li>Return line filter- 1 unit</li> <li>Indicator- 1 unit</li> </ul> </li> <li>Relief Valve protecting for buckling load-2 units</li> <li>Manifold for piloting inclusive one piece of Manual Directional Valve, one piece of Solenoid Operated Directional Valve and three pieces of cartridge Shuttle Valve- 1 unit</li> <li>Counterbalance- 2 units</li> <li>Level gauge- 1 unit</li> <li>Thermostat- 1 unit</li> <li>Float switch- 1 unit</li> <li>Pressure Gauges-2 units</li> <li>Power pack piping- 1 Lot</li> <li>Hydraulic Oil- 1 Lot</li> </ul> One (1) Lot: Consists of the following: <ul> <li>Stainless Steel Tubes: 10 mm x 1.5 mm x 6 m - 20 pcs.</li> <li>Stainless Steel Tubes: 30 mm x 2.0 mm x 6 m - 15 pcs.</li> <li>Stainless Steel Stud Coupling: GEV30L1BSPP- 3 pcs</li> <li>Stainless Steel Equal Elbow: WV30L - 16 pcs.</li> <li>Stainless Steel Stud Coupling: GEV10S1/2NPT- 4 pcs.</li> <li>Stainless Steel Stud Coupling: GEV10S1/2NPT- 4 pcs.</li> <li>Polycarbonate Stainless Steel Pipe Clamp: 30 mm - 70 pcs.</li> <li>Polycarbonate Stainless Steel Pipe Clamp: 16 mm - 100 pcs.</li> </ul> |                    |

Name of Firm

Name & Signature of Representative

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OFHYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO.4

SECTION VI - TECHNICAL SPECIFICATIONS

PR NO. MG-A7M23-002

| ITEM | DESCRIPTION  | UNIT | NPC REQUIREMENT  | SUPPLIER's<br>DATA |
|------|--|------|--|--------------------|
| 3.0  | Supply & Installation of<br>Electric Motor and Control |      | <ul> <li>One (1) Lot: Consists of the following:</li> <li>Wye Delta 20HP w/ Enclosure-1 unit</li> <li>Control Box, 8"x3"x 24" - 1 unit</li> <li>Control Box, 8"x16"x20"-1 unit</li> <li>Emergency Stop, Twist to reset-2 units</li> <li>Royal Cord # 16/3- 1 set</li> <li>Royal Cord # 8/3- 1 set</li> <li>100 mm x Cable Tie, 3"- 1 set</li> <li>Illuminated Push Buttons, 25 mm Green-2 units</li> <li>Illuminated Push Buttons, 25 mm Red-2 units</li> <li>Y-Terminal Lugs #16-100 pcs.</li> <li>Wire Tagging 21 et</li> </ul>  |                    |
| 4.0  | PLC Controller   |      | Wire Tagging-2 Lot   |                    |
| 4.1  | Name of Manufacturer                                   |      | By Contractor/Supplier   |                    |
| 4.2  | Place of Manufacturer/Origin                           |      | By Contractor/Supplier   |                    |
| 4.3  | Quantity   | unit | One (1)  |                    |
| 4.4  | Components/Accessories                                 | lot  | <ul> <li>One (1) Lot: Consists of the following equipment/components:</li> <li>Signal Converter-1 unit</li> <li>RS 485 to USB converter for the positioning sensor output to connect the positioned sensor to PC-1 unit</li> <li>RS 422 to analog converter for the positioning output sensor A converter module to convert the positioning sensor RS 422 output to analogue +/-10V, 0-20 mA or 4-20 mA1 unit</li> <li>HMI/SCADA, comfort panel, touch operation, 7" widescreen TFT-display, 16 Mil. colors, profinet interface, MPI/profibus DP interface 12 MB user memory, windows CE 6.0, configurable PLC CPU 17, I/O 3A Local -1 unit</li> <li>Power Supply: DC 20.4-28.8V DC, program/data memory:100 KB-1</li> </ul> |                    |

Name of Firm

Name & Signature of Representative

Designation

VI-TDS-3

i

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OFHYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO.4

SECTION VI - TECHNICAL SPECIFICATIONS

PR NO. MG-A7M23-002

| ITEM | DESCRIPTION                               | UNIT | NPC REQUIREMENT  | SUPPLIER's<br>DATA |
|------|---|------|--|--------------------|
|      | Components/Accessories<br>Cont            |      | <ul> <li>Bus connector for profibus up to 12<br/>MBIT/S, 15.8 x 54 x 39.5 mm<br/>terminal, resist with isolate, function,<br/>with PG socket 1 unit</li> </ul>   |                    |
| -    |   |      | <ul> <li>Base unit BU15-P16+A0+2B, BU<br/>type A-, push-in terminals, w/o aux-<br/>terminals, bridged to left BU WXH:<br/>15 mm x 117 mm 6Es - 2 units</li> </ul>  |                    |
|      |   | -    | <ul> <li>Bundle profibus IM, max.32<br/>periphery modules and 16 ET200<br/>AL modules, multi hot swap, bundle<br/>contains: interface module, server<br/>module, profibus connector - 1 unit.</li> </ul> |                    |
|      |   |      | <ul> <li>Analog input module, A1 2X1 2-/4<br/>wire stranded packing unit:1 piece<br/>fits to BU-type A0, A1 color code<br/>CC05, module diagnosis, 16 bit- 1<br/>unit</li> </ul>                         |                    |
|      |   |      | <ul> <li>Analog output module, AQ 2XU/I<br/>high features fits to BU-type A0, A1,<br/>color code CC00, channel<br/>diagnosis, 16 Bit +/-0.1% - 1 unit</li> </ul>   |                    |
| 5.0  | Ultrasonic Water Level<br>Sensor          |      |  |                    |
| 5.1  | Name of Manufacturer                      |      | By Contractor/Supplier   |                    |
| 5.2  | Place of Manufacturer/Origin              |      | By Contractor/Supplier   |                    |
| 5.3  | Quantity                                  | Unit | One (1)  |                    |
| 5.4  | Sensor                                    |      |  |                    |
|      | <ul> <li>Measuring</li> </ul>             |      | Pulse  |                    |
|      | Range                                     |      | 0-15 meters  |                    |
|      | <ul> <li>Accuracy</li> </ul>              |      | ±2   |                    |
|      | <ul> <li>Frequency</li> </ul>             |      | 80 GHz   |                    |
|      | Signal Resolution                         |      | 0.3 μA   |                    |
|      | Output                                    |      | 4-20 mA  |                    |
|      | Mounting                                  |      | Thread/Locknut   |                    |
|      | <ul> <li>Operating Temperature</li> </ul> |      | -40°C up to +80°C  |                    |
|      | Dimension                                 |      | 60 mm x 109 mm   |                    |

Name of Firm

Name & Signature of Representative

Designation

.

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OFHYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO.4

SECTION VI - TECHNICAL SPECIFICATIONS

PR NO. MG-A7M23-002

| ITEM | DESCRIPTION                            | UNIT | NPC REQUIREMENT  | SUPPLIER's<br>DATA |
|------|--|------|--|--------------------|
| 5.5  | Data Logger                            |      |  |                    |
|      | <ul> <li>Storage Capacity</li> </ul>   |      | 16 MB<br>(Approx. 1,120,000 measuring values)  |                    |
|      | Cycle                                  |      | 2 minutes  |                    |
|      | Channels                               |      | Maximum of 32  |                    |
| 5.6  | Controller                             | ĺ    |  |                    |
|      | <ul> <li>Flash Controller</li> </ul>   | •    | 32 Bit   |                    |
|      | <ul> <li>Watch Dog Function</li> </ul> |      | RTC-IC (Real Time Clock)   |                    |
|      | <ul> <li>Interface</li> </ul>          | 1    | 1 x RS232  |                    |
|      | Housing                                |      | Polycarbonate, IP65, 157x 26x60 mm   |                    |
|      | Software                               |      | Compatible Window 10, ASII Storage   |                    |
|      | Transmission Protocol                  |      | Data Retrieval via 2G/3G/4G  |                    |
|      | Power                                  |      | 12 V, Active power consumption:<br>Maximum of 400 mA   |                    |
|      | Operation                              |      | 3 Multi Function Keys,<br>3 lines/16 characters LCD  |                    |
| 6.0  | Experience of Supplier/<br>Contractor  |      | The Supplier/Contractor should have<br>been in the business of<br>designing/manufacturing/installing of<br>Hydraulic Power Unit of Spillway Gates<br>Hydro Power Plants for not less than<br>five (5) years. |                    |

Name of Firm

ξ

Name & Signature of Representative

Designation

٠



#### BID DOCUMENTS

SECTION VII - SCHEDULE OF REQUIREMENTS

# SECTION VII

# SCHEDULE OF REQUIREMENTS

# (BID PRICE SCHEDULE)

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

PR NO. MG-A7M23-002

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

PR NO. MG-A7M23-002

BID DOCUMENTS

SECTION VII- SCHEDULE OF REQUIREMENTS

#### SECTION VII - SCHEDULE OF REQUIREMENTS (BID PRICE SCHEDULE)

#### SUPPLY, DELIVERY, INSTALLATION TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

|             |  |                      | •                | UNIT PRICE FOR   | GOODS AND RELATE  | D SERVICES TO BE SU<br>RED   | JPPLIED AND   | TOTAL PRICE                                       |
|-------------|--|----------------------|------------------|--|---|--|---|---|
| ITEM<br>NO. | DESCRIPTION  | QTY UNIT             | C<br>O<br>D<br>E | Unit Price of Goods<br>Delivered up to<br>Philippine Port<br>(Phil. Peso)+ | Import Duties & other<br>Levies Imposed by<br>Phil, Govt.<br>(Phil. Peso) | Value Added Tax and<br>other Taxes Imposed<br>by Phil, Govt.<br>(Phil. Peso) | Local Transport<br>from Port to<br>Delivery Site<br>(Phil. Peso)> | Local Currency<br>(Phil. Peso)<br>({E+F+G+H} x C) |
| (A)         | (B)  | (C)                  | (D)              | (E)  | (F)   | (G)  | (H)   | (I)   |
| 1.0         | Furnishing of labor, tools, equipment and materials for the Supply,<br>Delivery, Installation, Test and Commissioning of Hydraulic Power<br>Unit for Agus 6 HEP Spillway Gate No. 4. | 1 Lot                |                  |  |   |  |   |   |
| 1.1         | Hydraulic Power Unit which includes the following:   |                      |                  |  |   |  |   |   |
|             | a. Electric Motor-20 HP, 440/220 V, 3 ø - 1 unit   |                      |                  |  |   |  |   |   |
|             | <ul> <li>b. Reciprocating/Piston Pump -Variable displacement-<br/>pressure/flow compensated - 1 unit</li> </ul>  |                      |                  |  |   |  |   |   |
|             | c. Oil Tank/Reservoir- 400 300 liters, mild steel (sand<br>blasted to SA 2.25 with zinc epoxy paint) w/ drain line - 1 unit  |                      |                  |  |   |  |   |   |
|             | d. Hydraulic Cylinder - 1 Lot  |                      |                  |  |   |  |   |   |
|             | - Fabrication structural mounting base of cylinder on site   |                      |                  |  | · ·   | · · ·  |   |   |
|             | - Erection of Cylinder   |                      |                  |  |   |  |   |   |
|             | <ul> <li>Mounting of dam gate to cylinder and rod mounting</li> </ul>  |                      |                  |  |   |  |   |   |
|             | <ul> <li>Fabrication of cylinder rod end base on dam gate</li> </ul>   |                      |                  |  |   |  |   |   |
|             | Technical Data of Hydraulic Cylinder:  |                      |                  |  |   |  |   |   |
|             | Bore : 200 mm Stroke : 9000mm  |                      |                  |  |   |  |   |   |
|             | Rod Diameter: 125 mm Mounting: Front Flange  |                      |                  |  |   |  |   |   |
|             | Rod End Mounting: Flange Type  |                      |                  |  |   |  |   |   |
|             | e. Other Components  |                      |                  |  |   |  |   |   |
|             | - Bell housing and coupling - 1 unit   |                      |                  |  |   |  |   |   |
|             | - Return line filter - 1 unit  |                      |                  |  |   |  |   |   |
|             | - Indicator - 1 unit   |                      |                  |  |   |  |   |   |
|             | Relief Valve protecting for buckling load-2 units  |                      |                  |  |   |  |   |   |
|             | Counterbalance - 2 units     Level gauge - 1 unit  |                      |                  |  |   |  |   | -   |
|             | - Thermostat - 1 unit  |                      |                  |  |   |  |   | · · ·   |
|             | - Float switch - 1 unit  |                      |                  |  |   |  |   |   |
| •           | Bidders shall enter a code representing the Country of Origin of all imported equipment, n   | aterials and access  | sories           |  | I   |  | Code  | Country of Origin                                 |
|             | Cost of equipment, freight, insurance, etc. up to Phil, port of entry  |                      |                  |  |   |  |   |   |
|             | Unit Price for Local Transportation, insurance and other local costs incidental to delivery of   | of the goods from th | e Philoort       | of entry to final delivery sile  | A   |  |   |   |
|             | Delivery site shall be at Agus 6 HEP. Iligan City  | •                    |                  | · · · · · · · · · · · · · · · · · · ·                                      |   |  |   |   |

Note: Delivery site shall be at Agus 6 HEP, Iligan City

Name of Firm

Name and Signature of Authorized Representative

- · · - -----

Delivery site shall be at Agus 6 HEP, Iligan City

Name of Firm

Name and Signature of Authorizod Representative

Designation

#### SECTION VII- SCHEDULE OF REQUIREMENTS

BID DOCUMENTS

#### SECTION VII - SCHEDULE OF REQUIREMENTS (BID PRICE SCHEDULE)

#### SUPPLY, DELIVERY, INSTALLATION TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

|             |             |          | *           | UNIT PRICE FOR   | GOODS AND RELATE<br>DELIVE  | D SERVICES TO BE SU<br>RED   | JPPLIED AND   | TOTAL PRICE                                       |
|-------------|-------------|----------|-------------|--|---|--|---|---|
| ITEM<br>NO. | DESCRIPTION | QTY UNIT | С<br>О<br>Б | Unit Price of Goods<br>Delivered up to<br>Philippine Port<br>(Phil. Peso)+ | Import Duties & other<br>Levies Imposed by<br>Phil. Govt.<br>(Phil. Peso) | Value Added Tax and<br>other Taxes Imposed<br>by Phil. Govt.<br>(Phil. Peso) | Local Transport<br>from Port to<br>Delivery Site<br>(Phil, Peso)> | Local Currency<br>(Phil. Peso)<br>{{E+F+G+H} x C) |
| (A)         | (8)         | (C)      | (D)         | (E)  | (F)   | (G)  | (H)   | (1)   |

| 1.1 | Hydraulic Power Unit which includes the following:   |                     |             |                                |                                       |          |         |                   |
|-----|--|---------------------|-------------|--------------------------------|---------------------------------------|----------|---------|-------------------|
|     | f. Other Components CONT   |                     |             |                                |                                       |          | _       |                   |
|     | - Relief valve - 1 unit  |                     |             |                                |                                       |          |         |                   |
|     | - Filler cap - 1 unit  |                     |             |                                |                                       |          |         |                   |
|     | - Pressure Gauges -2 units   |                     |             |                                |                                       |          |         |                   |
| -   | - Power pack piping - 1 Lot  |                     |             |                                |                                       |          |         |                   |
|     | - Hydraulic Oil - 1 Lot  |                     |             |                                |                                       |          |         |                   |
|     | Manifold for piloting inclusive one piece of Manual Directional Valve,<br>- one piece of Solenoid Operated Directional Valve and three pieces of<br>cartridge Shuttle Valve - 1 unit |                     |             | _                              |                                       |          |         |                   |
| 2.0 | Installation of Hydraulic Piping from viewing deck to power back pack to<br>cylinder which includes the following:   |                     |             |                                |                                       |          |         |                   |
|     | - Stainless Steel Tubes: 10 mm x 1.5 mm x 6 m - 20 pcs.  |                     |             |                                |                                       | <u> </u> | L       |                   |
|     | Stainless Steel Tubes: 16 mm x 2.0 mm x 6 m - 20 pcs   |                     |             |                                |                                       |          | <b></b> |                   |
|     | <ul> <li>Stainless Steel Tubes: 30 mm x 2.0 mm x 6 m - 15 pcs.</li> </ul>  |                     |             |                                |                                       | [        | L       |                   |
|     | <ul> <li>Stainless Steel Stud Coupling: GEV30L1BSPP - 3 pcs</li> </ul>   |                     |             |                                | · · · · · · · · · · · · · · · · · · · |          |         |                   |
|     | <ul> <li>Stainless Steel Stud Elbow: WEV30L1BSPP – 2 pcs.</li> </ul>   |                     |             |                                |                                       |          |         |                   |
|     | Stainless Steel Equal Elbow: WV30L - 16 pcs  |                     |             |                                | l                                     |          |         |                   |
|     | <ul> <li>Stainless Steel Stud Coupling: GEV10S1/2NPT- 4 pcs.</li> </ul>  |                     |             |                                |                                       |          |         |                   |
|     | Stainless Steel Straight Coupling; GV165 - 10 pcs  |                     |             |                                |                                       |          |         |                   |
|     | <ul> <li>Polycarbonate Stainless Steel Pipe Clamp: 30 mm - 70 pcs.</li> </ul>  |                     |             |                                |                                       |          |         |                   |
|     | <ul> <li>Polycarbonate Stainless Steel Pipe Clamp: 16 mm - 100 pcs.</li> </ul>   |                     |             |                                |                                       |          | ·       |                   |
|     | <ul> <li>Polycarbonate Stainless Steel Pipe Clamp: 10 mm - 100 pcs.</li> </ul>   |                     |             |                                |                                       |          |         |                   |
|     | Pipe clamps support-1 lot  |                     |             |                                |                                       |          |         |                   |
|     | Note: Piping not exposed to outdoor are made of steel fittings.  |                     |             |                                |                                       |          |         |                   |
| •   | Bidders shall enter a code representing the Country of Origin of all imported equipment, m   | aterials and access | ories       |                                |                                       |          | Code    | Country of Origin |
| +   | Cost of equipment, freight, insurance, etc. up to Phil. port of entry  |                     |             |                                |                                       |          |         |                   |
| <   | Unit Price for Local Transportation, insurance and other local costs incidental to delivery of   | the goods from the  | e Phil port | of entry to final delivery sit | θ .                                   |          |         |                   |

Note:

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

PR NO, MG-A7M23-002

BID DOCUMENTS

SECTION VII- SCHEDULE OF REQUIREMENTS

#### SECTION VII - SCHEDULE OF REQUIREMENTS (BID PRICE SCHEDULE)

#### SUPPLY, DELIVERY, INSTALLATION TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

|             |             |          | •                | UNIT PRICE FOR   | GOODS AND RELATE<br>DELIVE | D SERVICES TO BE SU<br>RED   | IPPLIED AND | TOTAL PRICE                                       |
|-------------|-------------|----------|------------------|--|----------------------------|--|-------------|---|
| ITEM<br>NO. | DESCRIPTION | QTY Uאוד | C<br>O<br>D<br>E | Unit Price of Goods<br>Delivered up to<br>Philippine Port<br>{Phil. Peso}+ |                            | Value Added Tax and<br>other Taxes Imposed<br>by Phil. Govt.<br>(Phil. Peso) |             | Local Currency<br>(Phil: Peso)<br>({E+F+G+H} x C) |
| (A)         | (B)         | ( C)     | (O)              | (E)  | (F)                        | (G)  | (H)         | (1)   |

| 3.0 | Wiring of Electric Motor and Control which Includes the following:   |                          |                                  |          |   |      |                   |
|-----|--|--------------------------|----------------------------------|----------|---|------|-------------------|
|     | - Wye Delta 20HP w/ Enclosure -1 unit  |                          |                                  |          |   |      |                   |
|     | - Control Box, 8"x3"x 24" - 1 unit   |                          |                                  |          |   |      |                   |
|     | - Control Box, 8"x16"x20" -1 unit  |                          |                                  |          |   |      |                   |
|     | Emergency Stop, Twist to reset -2 units  |                          |                                  |          |   |      |                   |
|     | - Royal Cord # 16/3 - 1 set  |                          |                                  |          | L |      |                   |
|     | - Royal Cord # 8/3 - 1 set   |                          |                                  |          |   | · ·  |                   |
|     | - 100 mm x Cable Tie, 3" - 1 set   |                          |                                  | <u> </u> |   |      |                   |
|     | <ul> <li>Illuminated Push Buttons, 25 mm Green -2 units</li> </ul>   |                          |                                  |          |   | ·    |                   |
|     | <ul> <li>Illuminated Push Buttons, 25 mm Red -2 units</li> </ul>   |                          |                                  |          | · | ļ    |                   |
|     | - Y-Terminal Lugs #16 -100 pcs.  |                          |                                  |          |   |      |                   |
|     | - Wire Tagging -2 Lot  |                          |                                  | <u> </u> |   | ļ    |                   |
| 4.0 | PLC Controller which includes the following:   |                          |                                  |          |   |      | ·                 |
|     | Signal Converter -1 unit   | _                        |                                  |          |   |      |                   |
|     | RS 485 to USB converter for the positioning sensor output to connect<br>the positioned sensor to PC -1 unit  |                          |                                  |          |   |      |                   |
|     | RS 422 to analog converter for the positioning output sensor A<br>- converter module to convert the positioning sensor RS 422 output to<br>analogue +/-10V, 0-20 mA or 4-20 mA1 unit   |                          |                                  |          |   |      |                   |
|     | HMI/SCADA, comfort panel, touch operation, 7" widescreen TFT-<br>display, 16 Mil. colors, profinet interface, MPI/profibus DP interface 12<br>MB user memory, windows CE 6.0, configurable PLC CPU 17, I/O 3A<br>Local -1 unit |                          |                                  |          |   |      |                   |
| •   | Bidders shall enter a code representing the Country of Origin of all imported equipment, materia   | Is and accessories       |                                  |          |   | Code | Country of Origin |
| +   | Cost of equipment, freight, insurance, etc. up to Phil. port of entry  |                          |                                  |          |   |      |                   |
| ~   | Unit Price for Local Transportation, insurance and other local costs incidental to delivery of the g   | uppeds from the Phil por | t of enioy to final delivery sit | e        |   |      |                   |

Note: Delivery site shall be at Agus 6 HEP, Iligan City

Name of Firm

Name and Signature of Authorized Representative

Designation

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

PR NO. MG-A7M23-002

BID DOCUMENTS

SECTION VII- SCHEDULE OF REQUIREMENTS

#### SECTION VII - SCHEDULE OF REQUIREMENTS (BID PRICE SCHEDULE)

#### SUPPLY, DELIVERY, INSTALLATION TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

|             |             |          |               |  | *   | UNIT PRICE FOR   | GOODS AND RELATE<br>DELIVE | D SERVICES TO BE SU<br>RED                        | IPPLIED AND | TOTAL PRICE |
|-------------|-------------|----------|---------------|--|---|--|----------------------------|---|-------------|-------------|
| ITEM<br>NO. | DESCRIPTION | QTY UNIT | С<br>О Д<br>Е | Unit Price of Goods<br>Delivered up to<br>Philippine Port<br>(Phil. Peso)+ | Import Duties & other<br>Levies Imposed by<br>Phil. Govt.<br>(Phil. Peso) | Value Added Tax and<br>other Taxes Imposed<br>by Phil. Govt.<br>(Phil. Peso) | ,                          | Local Currency<br>(Phil. Peso)<br>({E+F+G+H} x C) |             |             |
| (A)         | (B)         | (C)      | (D)           | (E)  | (F)   | (G)  | (H)                        | (1)   |             |             |

| 4.0 | PLC Controller which includes the following: CONT   |                     |                             | T T               |          |                   |
|-----|---|---------------------|-----------------------------|-------------------|----------|-------------------|
|     | Power Supply: DC 20.4-28.8V DC, program/data memory:100 KB -1<br>unit   |                     |                             |                   |          |                   |
|     | Bus connector for profibus up to 12 MBIT/S, 15.8x54x39.5 mm<br>terminal, resist with isolate, function w/ PG socket1 unit   |                     |                             |                   |          |                   |
|     | Base unit BU15-P16+A0+2B, BU type A-, push-in terminals, w/o aux-<br>terminals, bridged to left BU WXH: 15 mm x 117 mm 6Es -2 units   |                     |                             |                   |          |                   |
|     | Bundle profibus IM, max.32 periphery modules and 16 ET200 AL<br>- modules, multi hot swap, bundle contains: interface module, server<br>module, profibus connector - 1 unit     |                     |                             |                   |          |                   |
|     | Analog input module, A1 2X1 2-/4 wire stranded packing unit: 1 piece<br>- fits to BU-type A0, A1 color code CC05, module diagnosis, 16 bit - 1<br>unit                          |                     |                             |                   |          |                   |
|     | Analog output module , AQ 2XU/I high features fits to BU-type A0, A1, color code CC00, channel diagnosis, 16 Bit +/-0.1% - 1 unit   |                     |                             |                   |          |                   |
| 5.0 | Ultrasonic Water Level Sensor complete with sensor, data logger and controller  |                     |                             |                   |          |                   |
| 6.0 | Other scope of works as described and required in the Technical<br>Specifications shall be included.  |                     |                             |                   |          |                   |
|     | TOTAL   |                     |                             | (Amount in Words) |          | P                 |
| •   | Bidders shall enter a code representing the Country of Origin of all imported equipment, materials  | and accessories     |                             | · · · · ·         | <br>Code | Country of Origin |
| *   | Cost of equipment, freight, insurance, etc. up to Phil. port of entry<br>Unit Price for Local Transportation, insurance and other local costs incidental to delivery of the goo | de from the Dhil as | et of opin in final deliver | na nito           |          | · · ·             |

Note: Delivery site shall be at Agus 6 HEP, Iligan City

...

Name of Firm

Name and Signature of Authorized Representative

Designation

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

PR NO. MG-A7M23-002

## **SECTION VIII**

# **BIDDING FORMS**



.

## **SECTION VIII – BIDDING FORMS**

### TABLE OF CONTENTS

| NPCSF-GOODS-01  | - | Checklist of Technical and Financial Envelope<br>Requirements for Bidders                               |
|-----------------|---|---|
| NPCSF-GOODS-02  | - | List of all Ongoing Government & Private Contracts<br>Including Contracts Awarded but not yet Started   |
| NPCSF-GOODS-03  | - | Statement of the bidder's Single Largest Completed<br>Contract (SLCC) similar to the contract to be bid |
| NPCSF-GOODS-04  | - | Computation of Net Financial Contracting Capacity (NFCC)  |
| NPCSF-GOODS-05  | - | Joint Venture Agreement   |
| NPCSF-GOODS-06a | - | Form of Bid Security : Bank Guarantee   |
| NPCSF-GOODS-06b | - | Form of Bid Security : Surety Bond  |
| NPCSF-GOODS-06c | - | Bid Securing Declaration Form   |
| NPCSF-GOODS-07  | - | Omnibus Sworn Statement (Revised)   |
| NPCSF-GOODS-08  | - | Bid Letter  |
| Sample Form     | - | Bank Guarantee Form for Advance Payment   |
| Sample Form     | - | Certification from DTI as Domestic Bidder   |

Standard Form No: NPCSF-GOODS-01

## Checklist of Technical & Financial Envelope Requirements for Bidders

- A. THE 1<sup>st</sup> ENVELOPE (TECHNICAL COMPONENT) SHALL CONTAIN THE FOLLOWING: A. ELIGIBILITY DOCUMENTS
- a. (Class A)
- :pniwollof and to YnA <
- PhildEPS Certificate of Registration and Membership under Platinum Category in accordance with Section 8.5.2 of the IRR;

:YO

- The following updated and valid Class "A" eligibility documents enumerated under "Annex
   A" of the Platinum Membership:
- Registration Certificate from the Securities and Exchange Commission (SEC) for corporations, Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives;
- Mayor's/Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas.

In cases of recently expired Mayor's/Business permits, it shall be accepted together with the official receipt as proof that the bidder has applied for renewal within the period prescribed by the concerned local government unit, provided that the renewed permit shall be submitted as a post qualification requirement in accordance with Section 34.2 of the Revised IRR of RA 9184.

- The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.
- Tax clearance per Executive Order 398, Series of 2005, as finally reviewed and approved by the BIR or as stated under GPPB NPM-039-2014, for Non-Resident Foreign Corporation (NRFC) and Non-Resident Alien Not Engaged in Trade or Business (NRANETB), a Delinquency Verification Certificate may be submitted as a form of Tax Clearance;

:80

- A combination thereof
- Statement of all its ongoing government and private contracts if any, whether similar or not similar in nature and complexity to the contract to be bid (NPCSF-GOODS-02)
- The Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, and whose value, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price index, must be at least 50% of the ABC (NPCSF-GOODS-03) complete with the following supporting documents:
- 1. Contract/Purchase Order
- 2. Certificate of Acceptance; or Certificate of Completion; or Official Receipt (O.R); or Sales Invoice

(The Single Largest Completed Contract (SLCC) as declared by the bidder shall be verified and validated to ascertain such completed contract. Hence, bidders must ensure access to sites of such projects/equipment to NPC representatives for verification and validation purposes during post-qualification process.

It shall be a ground for disqualification, if verification and validation cannot be conducted for reasons attributable to the Bidder.)

#### Standard Form No: NPCSF-GOODS-01

Duly signed computation of its Net Financial Contracting Capacity (NFCC) at least equal to the ABC (NPCSF-GOODS-04) or a Committed Line of Credit (CLC) at least equal to ten percent (10%) of the ABC, issued by a Universal or Commercial Bank; If the Bidder opted to submit a Committed Line of Credit (CLC), the bidder must submit a granted credit line valid/effective at the date of bidding.

#### b. (CLASS B)

For Joint Venture (if applicable), any of the following:

Valid Joint Venture Agreement (NPCSF-GOODS-05)

OR

- Notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA, if awarded the contract
- Certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item/product (For foreign bidders claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos)

#### 2. Technical Documents

Bid Security, any one of the following:

Bid Securing Declaration (NPCSF-GOODS-06c)

OR

 Cash or Cashier's/Manager's check issued by a Universal or Commercial Bank – 2% of ABC;

OR

 Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: (NPCSF-GOODS-06a) - 2% of ABC;

OR

- Surety Bond callable upon demand issued by a reputable surety or insurance company (NPCSF-GOODS-06b) - 5% of ABC, with
  - Certification from the Insurance Commission as authorized company to issue surety

Duly signed, completely filled-out and notarized Omnibus Sworn statement (Revised) (NPCSF-GOODS-07), complete with the following attachments:

- For Sole Proprietorship:
  - Special Power of Attorney
- For Partnership/Corporation/Cooperative/Joint Venture:
  - Document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)
- Data and Information to be submitted with the Proposal as specified in Clause TS-7.0(a) of Section VI - Technical Specifications
- Complete eligibility documents of the proposed subcontractor, if any

Standard Form No: NPCSF-GOODS-01

- B. THE 2ND ENVELOPE (FINANCIAL COMPONENT) SHALL CONTAIN THE FOLLOWING:
  - Duly signed Bid Letter indicating the total bid amount in accordance with the prescribed form (NPCSF-GOODS-08)
  - Duly signed and completely filled-out Schedule of Requirement (Section VII) indicating the unit and total prices per item and the total amount in the prescribed Price Schedule form.
  - For Domestic Bidder claiming for domestic preference:
    - Letter address to the BAC claiming for preference
    - Certification from DTI as Domestic Bidder in accordance with the prescribed forms provided

#### CONDITIONS:

- Each Bidder shall submit one copy of the first and second components of its Bid. NPC may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.
- 2. In the case of foreign bidders, the eligibility requirements under Class "A" Documents (except for Tax Clearance) may be substituted by the appropriate equivalent documents, if any, issued by the country of the foreign bidder concerned. The eligibility requirements or statements, the bids, and all other documents to be submitted to the BAC must be in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered translator in the foreign bidder's country; and shall be authenticated by the appropriate Philippine foreign service establishment/post or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines.

These documents shall be accompanied by a Sworn Statement in a form prescribed by the GPPB stating that the documents submitted are complete and authentic copies of the original, and all statements and information provided therein are true and correct. Upon receipt of the said documents, the PhilGEPS shall process the same in accordance with the guidelines on the Government of the Philippines – Official Merchants Registry (GoP-OMR).

3. A Bidder not submitting bid for reason that his cost estimate is higher than the ABC, is required to submit his letter of non-participation/regret supported by corresponding detailed estimates. Failure to submit the two (2) documents shall be understood as acts that tend to defeat the purpose of public bidding without valid reason as stated under Section 69.1.(i) of the revised IRR of R.A. 9184.

Page 3 of 3

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

Standard Form Number: NPCSF-GOODS-03

## The Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid

Business Name : \_\_\_\_\_\_Business Address : \_\_\_\_\_\_

|                  | a. Owner's Name |  | Contractor's Role |   |   |   |  |
|------------------|-----------------|--|-------------------|---|---|---|--|
| Name of Contract |                 |  | Description       | % | a.Amount at Award<br>b.Amount at Completion<br>c.Duration | a. Date Awarded<br>b. Contract Effectivity<br>c. Date Completed |  |
|                  |                 |  |                   |   |   |   |  |
|                  |                 |  | 1                 |   |   |   |  |
|                  |                 |  |                   |   |   |   |  |
|                  |                 |  |                   |   |   |   |  |
|                  |                 |  |                   |   |   |   |  |
|                  |                 |  |                   |   |   |   |  |
|                  |                 |  |                   |   |   |   |  |
|                  |                 |  |                   |   |   |   |  |
|                  |                 |  |                   |   |   |   |  |

Notes: 1. The bidder must state only one (1) Single Largest Completed Contract (SLCC) similar to the contract to be bid.

 Supporting documents such as Contract/Purchase Order and any of the following: Certificate of Acceptance; or Certificate of Completion; or Official Receipt (O.R); or Sales Invoice for the contract stated above shall be submitted during Bid Opening.

Submitted by

(Printed Name & Signature)

 Designation
 : \_\_\_\_\_\_

 Date
 : \_\_\_\_\_\_

BID DOCUMENTS

SECTION VIII ~ BIDDING FORMS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4

PR NO. MG-A7M23-002

Standard Form Number: NPCSF-GOODS-02

### List of All Ongoing Government and Private Contracts Including Contract Awarded But Not Yet Started

Business Name : \_\_\_\_\_\_Business Address : \_\_\_\_\_\_

|                                   |  |                | Bidder's Role                         | ,<br>,   | a. Date Awarded   |  |
|-----------------------------------|--|----------------|---------------------------------------|----------|---|--|
| Name of Contract/<br>Project Cost | a. Owner's Name<br>b. Address<br>c. Telephone Nos. | Nature of Work | Description                           | %        | b. Date Started<br>c. Date of Completion or<br>Contract Duration/ Date<br>of Delivery | Value of Outstanding<br>Works / Undelivered<br>Portion |
| Government                        |  |                |                                       |          |   |  |
|                                   |  |                | · · · · · · · · · · · · · · · · · · · |          |   |  |
|                                   |  |                |                                       | ╞────    |   |  |
| · · · · ·                         |  |                |                                       | <u> </u> |   | <u></u>  |
| ······                            |  |                |                                       | <u> </u> | <u> </u>  |  |
|                                   |  |                |                                       |          | ·   |  |
| Private                           |  |                |                                       |          |   |  |
|                                   |  |                |                                       | <u> </u> |   |  |
|                                   |  |                |                                       |          |   |  |
|                                   |  |                |                                       |          |   |  |
|                                   |  |                |                                       | ļ        |   |  |
| ······                            |  |                |                                       |          |   |  |
|                                   |  |                |                                       |          | Total Cost  |  |

The bidder shall declare in this form all his on-going government and private contracts including contracts where the bidder (either as individual or as a Joint Venture) is a partner in a Joint Venture agreement other than his current joint venture where he is a partner. Non declaration will be a ground for disqualification of bid.

Note : This statement shall be supported with the following documents for all the contract(s) stated above which shall be submitted during Post-qualification:

- 1. Contract/Purchase Order and/or Notice of Award
- Certification coming from the project owner/client that the performance is satisfactory as of the bidding date.

Submitted by

(Printed Name & Signature)

Standard Form Number: NPCSF-GOODS-04

## NET FINANCIAL CONTRACTING CAPACITY (NFCC)

A. Summary of the Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the income tax return and audited financial statement for the immediately preceding calendar year are:

|    | •                         | Year 20 |
|----|---------------------------|---------|
| 1. | Total Assets              |         |
| 2. | Current Assets            |         |
| 3. | Total Liabilities         |         |
| 4. | Current Liabilities       |         |
| 5. | Net Worth (1-3)           | ·       |
| 6. | Net Working Capital (2-4) |         |

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = [(Current assets minus current liabilities) x 15] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract for this Project.

NFCC = P \_\_\_\_\_

Herewith attached is certified true copy of the audited financial statement, stamped "RECEIVED" by the BIR or BIR authorized collecting agent for the immediately preceding calendar year.

Submitted by:

Name of Supplier / Distributor / Manufacturer

Signature of Authorized Representative

Date : \_\_\_\_\_

Standard Form Number: NPCSF-GOODS-05

#### JOINT VENTURE AGREEMENT

### KNOW ALL MEN BY THESE PRESENTS:

| That this | JOINT | VENTURE | AGREEMENT                   | is           | entered | into | by | and | between:    |
|-----------|-------|---------|-----------------------------|--------------|---------|------|----|-----|-------------|
|           |       |         | legal age, <u>(civil st</u> | <u>atus)</u> |         |      |    |     | entative of |
|           |       | and     | a resident of               |              |         |      |    |     |             |

- and -

| , of lega  | age, <u>(civil status)</u> | _, authorized | representative | of |
|------------|----------------------------|---------------|----------------|----|
| a resident | of                         | _             |                |    |

That both parties agree to join together their capital, manpower, equipment, and other resources and efforts to enable the Joint Venture to participate in the Bidding and Undertaking of the hereunder stated Contract of the National Power Corporation.

#### NAME OF PROJECT

#### CONTRACT AMOUNT

That the capital contribution of each member firm:

| NAME OF FIRM | CAPITAL CONTRIBUTION |
|--------------|----------------------|
| <u> </u>     | ₽                    |
| 2            | <b>B</b>             |

That both parties agree to be jointly and severally liable for their participation in the Bidding and Undertaking of the said contract.

That both parties agree that \_\_\_\_\_\_ and/or \_\_\_\_\_\_ shall be the Official Representative/s of the Joint Venture, and are granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the Joint Venture in the Bidding and Undertaking of the said contract, as fully and effectively and the Joint Venture may do and if personally present with full power of substitution and revocation.

That this Joint Venture Agreement shall remain in effect only for the above stated Contract until terminated by both parties.

Name & Signature of Authorized Representative

Official Designation

Name of Firm

Name & Signature of Authorized Representative

Official Designation

Name of Firm

Witnesses

2.

1. \_\_\_\_\_

[Format shall be based on the latest Rules on Notarial Practice]

Standard Form Number: NPCSF-GOODS-06a

## FORM OF BID SECURITY (BANK GUARANTEE)

WHEREAS, <u>(Name of Bidder)</u> (hereinafter called "the Bidder") has submitted his bid dated (Date) for the <u>[name of project]</u> (hereinafter called "the Bid").

KNOW ALL MEN by these presents that We <u>(Name of Bank)</u> of <u>(Name of Country)</u> having our registered office at \_\_\_\_\_\_\_ (hereinafter called "the Bank" are bound unto National Power Corporation (hereinafter called "the Entity") in the sum of <u>[amount in words & figures as prescribed in the bidding documents]</u> for which payment well and truly to be made to the said Entity the Bank binds himself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_.

THE CONDITIONS of this obligation are that:

- 1) if the Bidder withdraws his Bid during the period of bid validity specified in the Bidding Documents; or
- 2) if the Bidder does not accept the correction of arithmetical errors of his bid price in accordance with the Instructions to Bidder; or
- if the Bidder, having determined as the LCB, fails or refuses to submit the required tax clearance, latest income and business tax returns and PhilGEPs registration certificate within the prescribed period; or
- 4) if the Bidder having been notified of the acceptance of his bid and award of contract to him by the Entity during the period of bid validity:
  - a) fails or refuses to execute the Contract; or
  - b) fails or refuses to submit the required valid JVA, if applicable; or
  - c) fails or refuses to furnish the Performance Security in accordance with the Instructions to Bidders;

we undertake to pay to the Entity up to the above amount upon receipt of his first written demand, without the Entity having to substantiate its demand, provided that in his demand the Entity will note that the amount claimed by it is due to the occurrence of any one or combination of the four (4) conditions stated above.

The Guarantee will remain in force up to 120 days after the opening of bids or as it may be extended by the Entity, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

| DATE    | SIGNATURE OF THE BANK |
|---------|-----------------------|
| WITNESS | SEAL                  |

(Signature, Name and Address)

BID DOCUMENTS

÷

2

SECTION VIII - BIDDING FORMS

Standard Form Number: NPCSF-GOODS-06b

### FORM OF BID SECURITY (SURETY BOND)

BOND NO.: \_\_\_\_\_ DATE BOND EXECUTED: \_\_\_\_\_

By this bond, We (<u>Name of Bidder</u>) (hereinafter called "the Principal") and <u>(Name of Surety</u>) of (<u>Name of Country of Surety</u>) , authorized to transact business in the Philippines (hereinafter called "the Surety") are held and firmly bound unto National Power Corporation (hereinafter called "the Employer") as Obligee, in the sum of <u>(amount in words & figures as prescribed in the bidding documents</u>), callable on demand, for the payment of which sum, well and truly to be made, we, the said Principal and Surety bind ourselves, our successors and assigns, jointly and severally, firmly by these presents.

SEALED with our seals and dated this \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_

WHEREAS, the Principal has submitted a written Bid to the Employer dated the \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_, for the \_\_\_\_\_\_ (hereinafter called "the Bid").

NOW, THEREFORE, the conditions of this obligation are:

- 1) if the Bidder withdraws his Bid during the period of bid validity specified in the Bidding Documents; or
- 2) if the Bidder does not accept the correction of arithmetical errors of his bid price in accordance with the Instructions to Bidder; or
- if the Bidder, having determined as the LCB, fails or refuses to submit the required tax clearance, latest income and business tax returns and PhilGEPs registration certificate within the prescribed period; or
- 4) if the Bidder having been notified of the acceptance of his bid and award of contract to him by the Entity during the period of bid validity:
  - d) fails or refuses to execute the Contract; or
  - e) fails or refuses to submit the required valid JVA, if applicable; or
  - f) fails or refuses to furnish the Performance Security in accordance with the Instructions to Bidders;

then this obligation shall remain in full force and effect, otherwise it shall be null and void.

PROVIDED HOWEVER, that the Surety shall not be:

- a) liable for a greater sum than the specified penalty of this bond, nor
- b) liable for a greater sum that the difference between the amount of the said Principal's Bid and the amount of the Bid that is accepted by the Employer.

Standard Form Number: NPCSF-GOODS-06b Page 2 of 2

This Surety executing this instrument hereby agrees that its obligation shall be valid for 120 calendar days after the deadline for submission of Bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Surety is hereby waived.

| PRINCIPAL            | SURETY        |
|----------------------|---------------|
| SIGNATURE(S)         | SIGNATURES(S) |
| NAME(S) AND TITLE(S) | NAME(S)       |
| SEAL                 | SEAL          |

Standard Form No: NPCSF-GOODS-06c

REPUBLIC OF THE PHILIPPINES ) CITY OF \_\_\_\_\_\_ ) S.S.

#### BID-SECURING DECLARATION SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4 ( PR NO. MG-A7M23-002)

To: National Power Corporation BIR Road cor. Quezon Ave. Diliman, Quezon City

*I/We*<sup>1</sup>, the undersigned, declare that:

- 1. *I/We* understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the Procuring Entity for the commission of acts resulting to the enforcement of the Bid Securing Declaration under Sections 23.1 (b), 34.2, 40.1 and 69.1, except 69.1 (f) of the IRR of R.A. 9184; without prejudice to other legal action the government may undertake.
- 3. *I/We* understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) *I am/we are* declared as the bidder with the Lowest Calculated and Responsive Bid, and *I/we* have furnished the performance security and signed the Contract.

[Name and Signature of Bidder's Representative/ Authorized Signatory] [Signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

<sup>1</sup> Select one and delete the other. Adopt same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, //we have hereunto set my hand this \_\_\_\_ day of \_\_\_\_ 20\_\_\_\_ at \_\_\_\_\_, Philippines.

Standard Form No: NPCSF-GOODS-07

#### **Omnibus Sworn Statement (Revised)**

#### REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] | am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

#### 6. [Select one, delete the rest:]

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project

Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_, 20\_\_\_ at \_\_\_\_, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

Standard Form No: NPCSF-GOODS-08

#### BID LETTER

Date: \_\_\_\_\_

To: **THE PRESIDENT** National Power Corporation BIR Road cor. Quezon Ave. Diliman, Quezon City

Gentlemen:

Having examined the Bidding Documents including Bid Bulletin Numbers [insert numbers]\_\_\_\_\_, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to perform SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF HYDRAULIC POWER UNIT FOR AGUS 6 HEP SPILLWAY GATE NO. 4 ( PR NO. MG-A7M23-002) in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures]\_\_\_\_\_\_ or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to supply and deliver the goods and perform other services, if required within the contract duration and in accordance with the scope of the contract specified in the Schedule of Requirements and Technical Specifications.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in Bid Documents and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of [Name of Bidder] \_\_\_\_\_\_\_has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the [Name of Project] \_\_\_\_\_\_\_ of the National Power Corporation [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the [Name of Bidder] \_\_\_\_\_\_\_ to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for [Name of Project] \_\_\_\_\_\_\_ of the National Power Corporation.

We acknowledge that failure to sign each and every page of this Bid Letter, including the attached Schedule of Requirements (Bid Price Schedule), shall be a ground for the rejection of our bid.

[name and signature of authorized signatory]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

[name of bidder]

#### Bank Guarantee Form for Advance Payment

#### To: THE PRESIDENT

National Power Corporation BIR Road cor. Quezon Ave.<sup>3</sup> Diliman, Quezon City

[name of Contract]

Gentlemen and/or Ladies:

In accordance with the Advance Payment Provision, of the General Conditions of Contract, <u>Iname and address of Supplier</u> (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of <u>[amount of guarantee in figures and words]</u>.

We, the <u>[name of the universal/commercial bank]</u>, as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding <u>[amount of guarantee in figures and words]</u>.

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date the advance payment is received by the Supplier under the Contract and until the Goods are accepted by the PROCURING ENTITY.

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

### **CERTIFICATION AS A DOMESTIC BIDDER**

This is to certify that based on the records of this office, <u>(Name of Bidder)</u> is duly registered with the DTI on \_\_\_\_\_\_.

This further certifies that the articles forming part of the product of <u>(Name of Bidder)</u>. which are/is <u>(Specify)</u> \_\_\_\_\_\_\_are substantially composed of articles, materials, or supplies grown, produced or manufactured in the Philippines. (Please encircle the applicable description/s).

This certification is issued upon the request of <u>(Name of Person/Entity)</u> in connection with his intention to participate in the bidding for the <u>(Name of Project)</u> of the National Power Corporation (NPC).

Given this \_\_ day of \_\_\_\_\_20\_\_ at \_\_\_\_, Philippines

Name

Position

Department of Trade & Industry