



National Power Corporation

REQUEST FOR QUOTATION (SHOPPING – 52 .1 b)

February 27, 2024

Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. **HO-TFM24-008**, Ref. No. **SHB240115-DM00009 (SH2)**, and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City on or before **9:30 AM of March 08, 2024**.

The following documents must be submitted together with your quotation:

For Platinum Members:

1. Valid and Updated Certificate of PhilGEPS Registration (This should include the attached "Annex A"). In case the Mayor's Permit in the said Annex "A" is expired, a valid/updated Mayor's Permit must also be submitted.

For Red or Blue Members:

1. Valid Mayor's Permit
 2. PhilGEPS Registration Number ;
- Other documents to be submitted: _____

In case no bid or insufficient number or bids is received on **March 08, 2024**, the deadline for submission may be extended, as follows:

First (1 st) Extension	:	<u>MARCH 14, 2024</u>
Second (2 nd) Extension	:	<u>MARCH 21, 2024</u>
Third (3 rd) Extension	:	<u>APRIL 01, 2024</u>


The RFQ/Bid Proposal shall be submitted by the bidder to NPC on the manner of submission based on the ABC as follows:

Approved Budget for the Contract (ABC)

- Up to Php100, 000.00 - via fax/e- mail/ bid proposal to procurement officer
- Above Php100,000 up to Php1,000,000 - via Sealed Offer (use drop box @ procurement office)

For further inquiries, please contact the BAC Secretariat, **Mr. Rommel D. Manrique** at telephone no/s. 8921-3541 loc 5746 / Fax No. 8922-1622 with e-mail address at rdmanrique@napocor.gov.ph.

Very truly yours,


ATTY. MELCHOR P. RIDULME
 Chairman, Bids and Awards Committee



NATIONAL POWER CORPORATION
 Gabriel Y. Itchon Building
 Senator Miriam P. Defensor-Santiago Avenue (formerly BIR Road)
 corner Quezon Avenue, Diliman, Quezon City 1100, Philippines
 Tel. Nos. (632) 8921-3541 to 80 • Fax No. (632) 8921-2468
 Website: www.napocor.gov.ph





Republic of the Philippines
NATIONAL POWER CORPORATION

**TERMS OF REFERENCE
ALTERNATIVE MODE OF PROCUREMENT
(SHOPPING – 52.1 b)**

1. **Scope of Works:** PR NO. HO-TFM24-008 / REF NO. SHB240115-DM00009 (SH2)

SUPPLY AND DELIVERY OF VARIOUS AIRCON MAINTENANCE SUPPLIES

Item No.	DESCRIPTION	QTY.	ABC (PhP)
1	AERO TAPE, SELF ADHESIVE, EPDM FOAM TAPE, 3mm THICK X 50mm WIDTH x 9.1m	8 ROLLS	3,800.00
2	ALUMINUM ROD ROUNDED	8 PCS	650.00
3	CAPACITOR SINGLE, 65 +/- 5% MICROF/450 VAC/50-60 HZ	2 PCS	1,600.00
4	CAPACITOR DUAL, 30 X 3 MICROF/450 VAC/50-60 HZ	2 PCS	1,400.00
5	CAPACITOR SINGLE, 25 +/- 5% MICROF/450 VAC/50-60 HZ	2 PCS	1,200.00
6	CAPACITOR SINGLE, 30 +/- 5% MICROF/450 VAC/50-60 HZ	2 PCS	1,200.00
7	CAPACITOR SINGLE, 5 +/- 5% MICROF/450 VAC/50-60 HZ	2 PCS	1,000.00
8	CAPACITOR SINGLE, 7.5 MICROF +/- 5%	2 PCS	1,400.00
9	MAGNETIC CONTACTOR 3 POLE, 40FLA, 50RES	2 PCS	9,200.00
10	MAGNETIC CONTACTOR 2 POLE, 30FLA, 40RES	2 PCS	7,200.00
11	REFRIGERANT, R22	2 CYL	12,000.00
12	RUBBER TUBE INSULATION SIZE: 3/8 X 3/4 X 6	20 PCS	3,660.00
13	RUBBER TUBE INSULATION SIZE: 5/8 X 3/4 X 6	20 PCS	4,860.00
14	RUBBER TUBE INSULATION SIZE: 1/2 X 3/4 X 6	20 PCS	4,050.00
15	RUBBER TUBE INSULATION SIZE: 3/4 X 1/2 X 6	20 PCS	3,300.00
16	RUGBY 5 GAL	1 CAN	920.00
17	WATER STOP SEALANT 200ml, WET AND DRY	12 CANS	9,000.00
18	COPPER TUBE SIZE 1/4 INCH X 50' HD	2 ROLLS	6,000.00
19	COPPER TUBE 1/2 INCH X 50' HD	2 ROLLS	10,000.00
20	COPPER TUBE 3/8 INCH X 50' HD	2 ROLLS	6,600.00
21	COPPER TUBE 5/8 INCH X 50' HD	2 ROLLS	10,600.00
22	CORK TAPE	6 ROLLS	3,000.00
23	TAPE	6 ROLLS	1,500.00

24	DUCT TAPE CLOTH DUCT TAPE (HEAVY DUTY) 48MM X 25M	16 ROLLS	7,000.00
25	GAUGE HEAVY DUTY, FOR INVERTER TYPE / R-410A	2 SETS	10,000.00
26	PRESSURE WASHER HEAVY DUTY, INDUCTION MOTOR, WITH ACCESSORIES	1 UNIT	7,500.00
TOTAL AMOUNT			128,640.00

Notes:

- **Warranty: Shall be at least Three (3) Months**
- **Mode of Award: Lot Award. However, Bid Price offer should not exceed ABC per item.**
- **See attached sheet for complete Technical Specification.**
- **Bidders are required and reminded to strictly state/include in their own Bid Proposal the requirements in the Terms and Conditions stated under the NPC Terms of Reference (TOR) to wit:**
 - **Payment Terms**
 - **Delivery Period**
 - **Price Validity**
 - **Delivery Point**
 - **Warranty**

APPROVED BUDGET FOR THE CONTRACT: PHP 128,640.00

2. Delivery Period

Delivery Period shall not be later than **Twenty (20) calendar days** upon receipt of the Purchase Order / Notice to Proceed.

3. Delivery Point

Items shall be delivered at **NPC Head Office Warehouse, Diliman, Quezon City.**

4. Bid Submission

The Bidder shall submit their bids through their authorized representative or in the manner of submission as prescribed in the RFQ.

5. Late Bids

Any Bid submitted after the deadline for submission and receipt of Bids shall not be accepted by NPC.

6. Bid Prices

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A Bid submitted with an adjustable price quotation shall be treated as non-responsive.

7. Bid Price Validity

Price Validity shall not be less than **One Hundred Twenty (120) calendar days** from date of bid submission

8. Eligibility Criteria

- a. Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- b. From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Lowest Calculated Quotation (LCQ).

9. Detailed Evaluation and Comparison of Bids

The LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

10. Post-qualification

Submitted documents of the LCQ shall be subjected to post qualification evaluation.

- PhilGEPS Certification and Mayor's/Business Permit. The bid that PASSED the Post-Qualification shall be declared as the Lowest Calculated Responsive Quotation (LCRQ)

11. Total Contract Price

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

12. Notice to Supplier

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law.

13. PO Effectivity

- a. The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

14. Terms of Payment

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

15. Warranty

Warranty is dependent upon the nature/type of the item which is included in the offer (i.e. Manufacturer's Warranty).

16. Liquidated Damages

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent (1%) of the cost of the

undelivered/unperformed portion of the items/works for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

17. Liability of the Supplier

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

18. Disclosure of Relations

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure of relations.

19. Administrative Sanctions

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

20. Reservation Clause

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

-----remaining spaces are intentionally left blank -----

**SUPPLIER'S BID QUOTATION
(SHOPPING 52.1 b)**

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. **HO-TFM24-008 (SH2)**. I agree with the conditions of the TOR and offer the following supplies with specific description:

ITEM NO.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (Php)	TOTAL PRICE (Php)
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				

16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
TOTAL BID PRICE				

 Name and Signature of Authorized Representative
 Date _____

 Company Name

 Contact Details

 e-mail address

Note: The bidder may use this form or its own company letter head following this format duly signed by the authorized representative when making the offer.



National Power Corporation

TECHNICAL SPECIFICATION

Item No.	Complete Description	Specification
1	AERO TAPE AERO TAPE	<ul style="list-style-type: none"> • Aero tape Self Adhesive EPDM Foam Tape • 3mm. Thick x 50mm. Width x 9.1m
2	ALUMINUM ROD ROUNDED	<ul style="list-style-type: none"> • Easy melt aluminum rods • 2mm dia. • For aircon maintenance use
3	CAPACITOR SINGLE, 65 +/- 5% MICROF/450 VAC/50-60 HZ	<ul style="list-style-type: none"> • For aircon maintenance use
4	CAPACITOR DUAL, 30 X 3 MICROF/450 VAC/50-60 HZ	<ul style="list-style-type: none"> • For aircon maintenance use
5	CAPACITOR SINGLE, 25 +/- 5% MICROF/450 VAC/50-60 HZ	<ul style="list-style-type: none"> • For aircon maintenance use
6	CAPACITOR SINGLE, 30 +/- 5% MICROF/450 VAC/50-60 HZ	<ul style="list-style-type: none"> • For aircon maintenance use
7	CAPACITOR SINGLE, 5 +/- 5% MICROF/450 VAC/50-60 HZ	<ul style="list-style-type: none"> • For aircon maintenance use
8	CAPACITOR SINGLE, 7.5 MICROF +/- 5%	<ul style="list-style-type: none"> • For aircon maintenance use
9	MAGNETIC CONTACTOR 3 POLE, 40FLA, 50RES	<ul style="list-style-type: none"> • 3 pole, 60Hz, 220 coil voltage
10	MAGNETIC CONTACTOR 2 POLE, 30FLA, 40RES	<ul style="list-style-type: none"> • 2 pole, 60Hz, 220 coil voltage
11	REFRIGERANT R22	<ul style="list-style-type: none"> • Wide Series
12	RUBBER TUBE INSULATION SIZE: 3/8 X 3/4 X 6	<ul style="list-style-type: none"> • Length: 6 feet • Function: Insulation for copper tube used for air-conditioning and refrigeration
13	RUBBER TUBE INSULATION SIZE: 5/8 X 3/4 X 6	
14	RUBBER TUBE INSULATION SIZE: 1/2 X 3/4 X 6	
15	RUBBER TUBE INSULATION SIZE: 3/4 X 1/2 X 6	
16	RUGBY 5 GAL	<ul style="list-style-type: none"> • 1 Gallon rugby adhesive
17	WATER STOP SEALANT 200 ML, WET AND DRY	<ul style="list-style-type: none"> • Dries Fast Even on Wet Surfaces • Long Lasting, Crack-Proof, and Water-Tight Seals
18	COPPER TUBE SIZE 1/4, X 50	<ul style="list-style-type: none"> • Length: 50 feet per roll • Function: Hard drawn Copper tube used for air-conditioning and refrigeration • Suitable Refrigerant: R410A
19	COPPER TUBE 1/2 INCH X 50' HD	
20	COPPER TUBE 3/8 INCH X 50' HD	
21	COPPER TUBE 5/8 INCH X 50' HD	
22	CORK TAPE CORK TAPE	<ul style="list-style-type: none"> • Pipe Insulation Cork Tape • Size (Width x Thickness x Length): 1" x 1/8" x 360"-600" per roll • Weight: 1.2kg • Stick to all metals to prevent condensation and dripping • No drying
23	TAPE <u>4</u>	<ul style="list-style-type: none"> • Foam tape
24	DUCTTAPE CLOTH DUCTTAPE (HEAVY DUTY) 48MMX25M	<ul style="list-style-type: none"> • Aggressive synthetic rubber adhesive • High viscosity adhesive, Cotton
25	GAUGE HEAVY DUTY, FOR INVERTER TYPE /	<ul style="list-style-type: none"> • Heavy Duty, high pressure

<p>26</p>	<p>PRESSURE WASHER HEAVY DUTY, INDUCTION MOTOR, WITH ACCESSORIES</p>	<ul style="list-style-type: none"> • Includes 3m Hose, Spray Nozzle and Soap Bottle • Onboard Accessory Storage • No Inlet Pressure Necessary, Use Water from any Source. • Max Pressure 1600PSI • Heavy Duty
-----------	--	--