



NATIONAL POWER CORPORATION

REQUEST FOR QUOTATION
(SHOPPING - 52.1 b)

September 29, 2022

Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. HO-CWA22-004 Ref. No. SHB220516- KA 00130 (SH3) and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City on or before 9:30 AM of October 14, 2022.

The following documents must be submitted together with your quotation:

For Platinum Members:

- 1. Valid and Updated Certificate of PhilGEPS Registration (This should include the attached "Annex A"). In case the Mayor's Permit in the said Annex "A" is expired, a valid/updated Mayor's Permit must also be submitted.

For Red Members:

- 1. Valid Mayor's Permit
2. PhilGEPS Registration Number ;

Other documents to be submitted: \_\_\_\_\_

In case no bid or insufficient number or bids is received on October 14, 2022, the deadline for submission may be extended, as follows:

- First (1st) Extension : \_\_\_\_\_
Second (2nd) Extension : \_\_\_\_\_
Third (3rd) Extension : \_\_\_\_\_

The RFQ/Bid Proposal shall be submitted by the bidder to NPC on the manner of submission based on the ABC as follows:

Approved Budget for the Contract (ABC)

- Up to Php 100, 000.00 - via fax/e- mail/ bid proposal to procurement officer 8922-1622/kris\_napocor@yahoo.com.ph
Above Php 100, 000 up to Php1, 000,000 - via Sealed Offer (use drop box @ procurement office)

For further inquiries, please contact the BAC Secretariat, Kris-Anne F. Andal at telephone no/s. 8921-3541 Local: 5746.

Very truly yours,

Signature of Rene B. Barruela
RENE B. BARRUELA
Vice President, CAG and Chairman,
Bids and Awards Committee

BIR Road cor. Quezon Avenue, Diliman
Quezon City 1100, Philippines
Tel. Nos. (632) 921-3541 to 80
Fax No. (632) 921-2468
Website: www.napocor.gov.ph



Management System
ISO 9001:2015



www.tuv.com
ID 810699265

Handwritten notes: 10/10/22, 9:12

Handwritten mark



Republic of the Philippines  
NATIONAL POWER CORPORATION

TERMS OF REFERENCE  
ALTERNATIVE MODE OF PROCUREMENT  
(SHOPPING) – 52.1 b)

1. **Scope of Works:** PR NOS. HO-CWA22-004 Ref. No. SHB220516 KA 00130 (SH3)

**For the Supply and Delivery of Office Supplies**

Package 2 PR No. HO-CWA22-004			
Item No.	DESCRIPTION	QTY.	ABC (PhP)
1	Camera DSLR 20MP MIN. with Movie Maker; at least 24.3 MP 3	1 UNIT	100,000.00
2	Multi Media Projector 4000 MIN ANSI LUMENS	1 UNIT	100,000.00
3	Pump Water, Portable, 12VDC; 0.7 GPM 700-42 Motor	1 UNIT	50,000.00
4	Speaker Portable Wireless Bluetooth Speaker with Micro USB C -All-in-one PA system with five channel powered mixer and full range speaker (attached additional technical specs)	1 UNIT	50,000.00
<b>TOTAL</b>			<b>Php 300,000.00</b>

**Note/s:**

- A. All materials/items to be supplied by the winning bidder/s should be brand new, genuine and in its original packaging;
- B. See attached sheet for additional technical specifications
- C. The mode of awards is per ITEM basis
- D. Bidders are required and reminded to strictly state/include in their own Bid Proposal the requirements in the Terms and Conditions stated under the NPC Terms of Reference (TOR), to wit:
  - Payment Terms
  - Delivery Period
  - Price Validity
  - Delivery Point
  - Warranty

**2. Delivery Period**

Delivery Period shall not be later than **15 CALENDAR DAYS** upon receipt of the Purchase Order / Notice to Proceed.

**3. Delivery Point**

Items shall be delivered at **NPC-HO, OBC WAREHOUSE DILIMAN QUEZON CITY**

**4. Bid Submission**

The Bidder shall submit their bids through their authorized representative or in the manner of submission as prescribed in the RFQ.

**5. Late Bids**

Any Bid submitted after the deadline for submission and receipt of Bids shall not be accepted by NPC.

**6. Bid Prices**

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A Bid submitted with an adjustable price quotation shall be treated as non-responsive.

**7. Bid Price Validity**

Price Validity shall not be less than One Hundred Twenty (120) calendar days from date of bid submission.

**8. Eligibility Criteria**

- a. Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- b. From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Lowest Calculated Quotation (LCQ).

**9. Detailed Evaluation and Comparison of Bids**

The LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

**10. Post qualification**

Submitted documents of the S/LCQ shall be subjected to post qualification evaluation. The bid that PASSED the Post-Qualification shall be declared as the Single/Lowest Calculated Responsive Quotation (S/LCRQ).

**11. Total Contract Price**

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

**12. Notice to Supplier**

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law.

**13. PO Effectivity**

- a. The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

**14. Terms of Payment**

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

**15. Warranty**

Warranty is dependent upon the nature/type of the item which is included in the offer (i. e. Manufacturer's Warranty).

**16. Liquidated Damages**

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent (1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

**17. Liability of the Supplier**

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

**18. Disclosure of Relations**

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure of relations.

**19. Administrative Sanctions**

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

**20. Reservation Clause**

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

\*\*\*\*Remaining space intentionally leave blank\*\*

**TECHNICAL SPECIFICATION**

**Mode of Award :** Lot Award  
**Description :** Camera DSLR and Three (3) Others  
**PR No. :** HO-CWA22-004  
**Delivery Site :** NPC-HO, OBC Warehouse, Diliman, Quezon City

**Note:** The specification is set to the minimum value/functionality to meet the requirements of the End-user.

ITEM	DESCRIPTION	QTY/U.M.	SUPPLIER'S DATA																																																		
1.	<p><b>CAMERA DSLR</b></p> <table border="1"> <tr> <td>Brand</td> <td></td> </tr> <tr> <td>Model</td> <td></td> </tr> <tr> <td>Features</td> <td></td> </tr> <tr> <td>Image Sensor</td> <td>CMOS sensor</td> </tr> <tr> <td>Aspect Ratio</td> <td>At least 3:2</td> </tr> <tr> <td>Effective Pixels</td> <td>At least 24MP</td> </tr> <tr> <td>Image Type</td> <td>JPEG, RAW, RAW+JPEG</td> </tr> <tr> <td>Picture Style</td> <td>Auto, Standard, Portrait, Landscape, Neutral, Faithful, Monochrome,</td> </tr> <tr> <td>Zoom Lens</td> <td>18~55mm</td> </tr> <tr> <td>Flash</td> <td>Built-in, pop-up</td> </tr> <tr> <td>Auto Focus Points</td> <td>9-point, f/5.6. Cross-type AF with the center AF point</td> </tr> <tr> <td>ISO Range</td> <td>100 ~ 6400</td> </tr> <tr> <td>Shutter Speed</td> <td>1/4000 sec. to 30 sec.</td> </tr> <tr> <td>Shooting Speed</td> <td>3.0 shots/sec.</td> </tr> <tr> <td>Contrast Detection</td> <td>Flexi Zone-Single, Face detection Live mode</td> </tr> <tr> <td>Creative Filters</td> <td>Grainy B/W, Soft focus, Fish-eye, Toy Camera, and Miniature effects</td> </tr> <tr> <td>Wi-Fi NFC</td> <td>Built-in</td> </tr> <tr> <td>Recording Format</td> <td>MOV</td> </tr> <tr> <td>Audio</td> <td>Linear PCM</td> </tr> <tr> <td>LCD Monitor</td> <td>TFT color liquid-crystal</td> </tr> <tr> <td>Included Accessories</td> <td></td> </tr> <tr> <td>Memory Card</td> <td>128GB</td> </tr> <tr> <td>Spare Battery</td> <td>One (1) piece</td> </tr> <tr> <td>Aluminum Tripod</td> <td>Three (3) way swivel head, 1420mm adjustable legs, and center column</td> </tr> <tr> <td>Soft-carrying Bag</td> <td>To provide</td> </tr> </table>	Brand		Model		Features		Image Sensor	CMOS sensor	Aspect Ratio	At least 3:2	Effective Pixels	At least 24MP	Image Type	JPEG, RAW, RAW+JPEG	Picture Style	Auto, Standard, Portrait, Landscape, Neutral, Faithful, Monochrome,	Zoom Lens	18~55mm	Flash	Built-in, pop-up	Auto Focus Points	9-point, f/5.6. Cross-type AF with the center AF point	ISO Range	100 ~ 6400	Shutter Speed	1/4000 sec. to 30 sec.	Shooting Speed	3.0 shots/sec.	Contrast Detection	Flexi Zone-Single, Face detection Live mode	Creative Filters	Grainy B/W, Soft focus, Fish-eye, Toy Camera, and Miniature effects	Wi-Fi NFC	Built-in	Recording Format	MOV	Audio	Linear PCM	LCD Monitor	TFT color liquid-crystal	Included Accessories		Memory Card	128GB	Spare Battery	One (1) piece	Aluminum Tripod	Three (3) way swivel head, 1420mm adjustable legs, and center column	Soft-carrying Bag	To provide	1.0 UNIT	<p>COMPLY/ NOT COMPLY</p> <p>Refer to the attached brochure/technical datasheet:</p>
Brand																																																					
Model																																																					
Features																																																					
Image Sensor	CMOS sensor																																																				
Aspect Ratio	At least 3:2																																																				
Effective Pixels	At least 24MP																																																				
Image Type	JPEG, RAW, RAW+JPEG																																																				
Picture Style	Auto, Standard, Portrait, Landscape, Neutral, Faithful, Monochrome,																																																				
Zoom Lens	18~55mm																																																				
Flash	Built-in, pop-up																																																				
Auto Focus Points	9-point, f/5.6. Cross-type AF with the center AF point																																																				
ISO Range	100 ~ 6400																																																				
Shutter Speed	1/4000 sec. to 30 sec.																																																				
Shooting Speed	3.0 shots/sec.																																																				
Contrast Detection	Flexi Zone-Single, Face detection Live mode																																																				
Creative Filters	Grainy B/W, Soft focus, Fish-eye, Toy Camera, and Miniature effects																																																				
Wi-Fi NFC	Built-in																																																				
Recording Format	MOV																																																				
Audio	Linear PCM																																																				
LCD Monitor	TFT color liquid-crystal																																																				
Included Accessories																																																					
Memory Card	128GB																																																				
Spare Battery	One (1) piece																																																				
Aluminum Tripod	Three (3) way swivel head, 1420mm adjustable legs, and center column																																																				
Soft-carrying Bag	To provide																																																				

*Revised by:*  
*10/6/22*

2.	<p><b>MULTIMEDIA PROJECTOR</b></p> <table border="1"> <tr> <td>Brand</td> <td></td> </tr> <tr> <td>Model</td> <td></td> </tr> <tr> <td colspan="2"><b>Features</b></td> </tr> <tr> <td>Projection System</td> <td>RGB liquid crystal shutter projection (3LCD)</td> </tr> <tr> <td>LCD Size</td> <td>At least 0.55"</td> </tr> <tr> <td>Native Resolution</td> <td>XGA (1024 x 768)</td> </tr> <tr> <td>Light-source Type</td> <td>210W UHE or equivalent</td> </tr> <tr> <td>Aspect Ratio</td> <td>At least 4:3</td> </tr> <tr> <td>Projection Lens Type</td> <td>Optical Zoom (Manual) / Focus (Manual)</td> </tr> <tr> <td>Zoom Ratio</td> <td>1 ~ 1.2 (Digital Zoom)</td> </tr> <tr> <td>Throw Ratio</td> <td>1.48 ~ 1.77 (Wide to Tele)</td> </tr> <tr> <td>Screen Size</td> <td>Standard Tele: 30" to 300"</td> </tr> <tr> <td>Brightness</td> <td>3,800 lm</td> </tr> <tr> <td>Contrast Ratio</td> <td>16,000:1</td> </tr> <tr> <td>Vertical/Horizontal Keystone Geometric Correction</td> <td>±30° / ±30° (Auto Vertical Keystone only)</td> </tr> <tr> <td>Quick Corner Adjustment</td> <td>Supported</td> </tr> <tr> <td>Split Screen</td> <td>Supported</td> </tr> <tr> <td>Built-in Speakers</td> <td>Monaural: 2W x 1</td> </tr> <tr> <td>Interface (Audio &amp; Video)</td> <td>RCA, HDMI, D-Sub 15pin, USB, LAN</td> </tr> <tr> <td>Wireless</td> <td>2.4GHz / 5GHz compliant</td> </tr> <tr> <td>Power Supply</td> <td>100 ~ 240VAC 60Hz</td> </tr> </table>	Brand		Model		<b>Features</b>		Projection System	RGB liquid crystal shutter projection (3LCD)	LCD Size	At least 0.55"	Native Resolution	XGA (1024 x 768)	Light-source Type	210W UHE or equivalent	Aspect Ratio	At least 4:3	Projection Lens Type	Optical Zoom (Manual) / Focus (Manual)	Zoom Ratio	1 ~ 1.2 (Digital Zoom)	Throw Ratio	1.48 ~ 1.77 (Wide to Tele)	Screen Size	Standard Tele: 30" to 300"	Brightness	3,800 lm	Contrast Ratio	16,000:1	Vertical/Horizontal Keystone Geometric Correction	±30° / ±30° (Auto Vertical Keystone only)	Quick Corner Adjustment	Supported	Split Screen	Supported	Built-in Speakers	Monaural: 2W x 1	Interface (Audio & Video)	RCA, HDMI, D-Sub 15pin, USB, LAN	Wireless	2.4GHz / 5GHz compliant	Power Supply	100 ~ 240VAC 60Hz	1.0 UNIT	<p><b>COMPLY/ NOT COMPLY</b></p> <p>Refer to the attached brochure/technical datasheet:</p> <hr/>
Brand																																													
Model																																													
<b>Features</b>																																													
Projection System	RGB liquid crystal shutter projection (3LCD)																																												
LCD Size	At least 0.55"																																												
Native Resolution	XGA (1024 x 768)																																												
Light-source Type	210W UHE or equivalent																																												
Aspect Ratio	At least 4:3																																												
Projection Lens Type	Optical Zoom (Manual) / Focus (Manual)																																												
Zoom Ratio	1 ~ 1.2 (Digital Zoom)																																												
Throw Ratio	1.48 ~ 1.77 (Wide to Tele)																																												
Screen Size	Standard Tele: 30" to 300"																																												
Brightness	3,800 lm																																												
Contrast Ratio	16,000:1																																												
Vertical/Horizontal Keystone Geometric Correction	±30° / ±30° (Auto Vertical Keystone only)																																												
Quick Corner Adjustment	Supported																																												
Split Screen	Supported																																												
Built-in Speakers	Monaural: 2W x 1																																												
Interface (Audio & Video)	RCA, HDMI, D-Sub 15pin, USB, LAN																																												
Wireless	2.4GHz / 5GHz compliant																																												
Power Supply	100 ~ 240VAC 60Hz																																												

3.	<p><b>WATER PUMP</b></p> <table border="1"> <tr> <td>Brand</td> <td></td> </tr> <tr> <td>Model</td> <td></td> </tr> <tr> <td colspan="2">Features</td> </tr> <tr> <td>Fuel Type</td> <td>Gasoline</td> </tr> <tr> <td>Fuel Tank Capacity</td> <td>At least 6L</td> </tr> <tr> <td>Capacity</td> <td>9HP</td> </tr> <tr> <td>Suction &amp; Discharge port diameter</td> <td>100mm (4")</td> </tr> <tr> <td>Maximum Flow Rate</td> <td>1500 L/Min.</td> </tr> <tr> <td>Maximum Head Lift</td> <td>30M</td> </tr> <tr> <td>Maximum Suction Head</td> <td>8M</td> </tr> <tr> <td>Displacement</td> <td>270cc</td> </tr> <tr> <td>Starting System</td> <td>Recoil</td> </tr> <tr> <td colspan="2">Included Accessories</td> </tr> <tr> <td>Suction Hose</td> <td>1 x 100mm (4") x 20 Feet 1 x 100mm (4") x 10 Feet</td> </tr> <tr> <td>Hose Clamp &amp; Connectors</td> <td>To provide</td> </tr> </table>	Brand		Model		Features		Fuel Type	Gasoline	Fuel Tank Capacity	At least 6L	Capacity	9HP	Suction & Discharge port diameter	100mm (4")	Maximum Flow Rate	1500 L/Min.	Maximum Head Lift	30M	Maximum Suction Head	8M	Displacement	270cc	Starting System	Recoil	Included Accessories		Suction Hose	1 x 100mm (4") x 20 Feet 1 x 100mm (4") x 10 Feet	Hose Clamp & Connectors	To provide	1.0 UNIT	<p><b>COMPLY/ NOT COMPLY</b></p> <p>Refer to the attached brochure/technical datasheet:</p>
Brand																																	
Model																																	
Features																																	
Fuel Type	Gasoline																																
Fuel Tank Capacity	At least 6L																																
Capacity	9HP																																
Suction & Discharge port diameter	100mm (4")																																
Maximum Flow Rate	1500 L/Min.																																
Maximum Head Lift	30M																																
Maximum Suction Head	8M																																
Displacement	270cc																																
Starting System	Recoil																																
Included Accessories																																	
Suction Hose	1 x 100mm (4") x 20 Feet 1 x 100mm (4") x 10 Feet																																
Hose Clamp & Connectors	To provide																																
4.	<p><b>SPEAKER SYSTEM</b></p> <table border="1"> <tr> <td>Brand</td> <td></td> </tr> <tr> <td>Model</td> <td></td> </tr> <tr> <td colspan="2">Features</td> </tr> <tr> <td>Speaker Type</td> <td>All-In-One PA system, full-range, self-contained suitcase</td> </tr> <tr> <td>Speaker Capacity</td> <td>2 x 175 watts</td> </tr> <tr> <td>Tweeter</td> <td>4 x 2.75 inches</td> </tr> <tr> <td>Powered Mixer</td> <td>Five (5) channels</td> </tr> <tr> <td>Inputs</td> <td>Three (3) XLR balanced Five ¼" mono jack One (1) 1/8" stereo</td> </tr> <tr> <td>Power Supply</td> <td>220~240VAC 60Hz</td> </tr> <tr> <td colspan="2">Included Accessories</td> </tr> <tr> <td>Speaker Cables</td> <td>To provide</td> </tr> <tr> <td>Microphone Set</td> <td>Three (3) sets with pre-terminated XLR cables Microphone: Dynamic Polar Pattern: Cardioid Frequency: 80~12000Hz Switch: ON/OFF</td> </tr> </table>	Brand		Model		Features		Speaker Type	All-In-One PA system, full-range, self-contained suitcase	Speaker Capacity	2 x 175 watts	Tweeter	4 x 2.75 inches	Powered Mixer	Five (5) channels	Inputs	Three (3) XLR balanced Five ¼" mono jack One (1) 1/8" stereo	Power Supply	220~240VAC 60Hz	Included Accessories		Speaker Cables	To provide	Microphone Set	Three (3) sets with pre-terminated XLR cables Microphone: Dynamic Polar Pattern: Cardioid Frequency: 80~12000Hz Switch: ON/OFF	1.00 SET	<p><b>COMPLY/ NOT COMPLY</b></p> <p>Refer to the attached brochure/technical datasheet:</p>						
Brand																																	
Model																																	
Features																																	
Speaker Type	All-In-One PA system, full-range, self-contained suitcase																																
Speaker Capacity	2 x 175 watts																																
Tweeter	4 x 2.75 inches																																
Powered Mixer	Five (5) channels																																
Inputs	Three (3) XLR balanced Five ¼" mono jack One (1) 1/8" stereo																																
Power Supply	220~240VAC 60Hz																																
Included Accessories																																	
Speaker Cables	To provide																																
Microphone Set	Three (3) sets with pre-terminated XLR cables Microphone: Dynamic Polar Pattern: Cardioid Frequency: 80~12000Hz Switch: ON/OFF																																

**SUPPLIER'S BID QUOTATION**  
**(SHOPPING 52.1 b)**

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. **HO-CWA22-004** I agree with the conditions of the TOR and offer the following supplies with specific description:

ITEM NO.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (PhP)	TOTAL (Php)
1				
2				
3				
4				
<b>TOTAL</b>				

Payment Terms: \_\_\_\_\_  
Delivery Period: \_\_\_\_\_  
Price Validity: \_\_\_\_\_  
Delivery Point: \_\_\_\_\_  
Warranty: \_\_\_\_\_

\_\_\_\_\_  
Name and Signature of Authorized Representative  
Date \_\_\_\_\_  
Company Name \_\_\_\_\_  
Contact Details \_\_\_\_\_  
E-mail address \_\_\_\_\_

*Note: The bidder may use this form or its own company letter head following this format duly signed by the authorized representative when making the offer.*