



**National Power Corporation**

**REQUEST FOR QUOTATION  
(SHOPPING – 52 .1 b)**

March 28, 2023

\_\_\_\_\_  
\_\_\_\_\_  
Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. HO-CWA23-001 / REF NO. SHB230119-KL0003 (SH2) and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City on or before 9:30 am of 11 April, 2023.

The following documents must be submitted together with your quotation:

For Platinum Members:

- 1. Valid and Updated Certificate of PhilGEPS Registration (This should include the attached "Annex A"). Mayor's Permit must be updated and current. Expired Mayor's Permit will disqualify the bid. The Mayor's Permit must be uploaded as "Annex A".

For Red or Blue Members:

- 1. Valid Mayor's Permit
- 2. PhilGEPS Registration Number ;

In case no bid or insufficient number or bids is received on 11 April 2023, the deadline for submission may be extended, as follows:

First (1<sup>st</sup>) Extension : \_\_\_\_\_  
Second (2<sup>nd</sup>) Extension : \_\_\_\_\_  
Third (3<sup>rd</sup>) Extension : \_\_\_\_\_

**The RFQ/Bid Proposal shall be submitted by the bidder to NPC on the manner of submission based on the ABC as follows:**

**Approved Budget for the Contract (ABC)**

- Up to Php100, 000.00 - via fax/e- mail/ bid proposal to procurement officer
- Above Php100,000.00 up to Php1,000,000.00 - via Sealed Offer (use drop box @ procurement office)

For further inquiries, please contact the BAC Secretariat, Ms. Kristine C. Lacatan at telephone no/s. 8-924-5397 with e-mail address at kclacatan@napocor.gov.ph.

Very truly yours,

  
**RENE B. BARRUELA**  
Chairman, Bids and Awards Committee





Republic of the Philippines  
NATIONAL POWER CORPORATION

**TERMS OF REFERENCE  
ALTERNATIVE MODE OF PROCUREMENT  
(SHOPPING – 52.1 b)**

1. **Scope of Works:** PR NO. HO-CWA23-001 / REF NO. SHB230119-KL00003 (SH2)

For the Supply and Delivery of:

Item No.	DESCRIPTION	QTY.	U/M	ABC (PhP)
1	Fire Extinguisher Dry Chemical, for ABC Class, of Fire, Squeeze Type, Non-Electrical Conductor, Non-Toxic, Non-Corrosive	3	Unit	15,000.00
2	Ladder Multipurpose, Aluminum Ladder, Folding, Step Ladder, Scaffold Extendable, HD	1	Unit	7,000.00
3	UPS Uninterruptible Power Supply w/ Built in AVR Wide Input Voltage Range Compatible with Generators	3	Unit	15,000.00
<b>TOTAL AMOUNT</b>				<b>37,000.00</b>

**Note/s:**

- a. Item to be supplied by the winning bidder should be brand new.
- b. Warranty should be at least three (3) months.
- c. The mode of award is per item basis.
- d. Please refer to the attached sheets for the complete technical specifications.
- e. Bidders are required and reminded to strictly state/include in their own Bid Proposal the requirements in the Terms and Conditions stated under the NPC Terms of Reference (TOR), to wit:
  - Payment Terms
  - Delivery Period
  - Price Validity
  - Delivery Point
  - Warranty

**APPROVED BUDGET FOR THE CONTRACT: PHP 37,000.00**

**2. Delivery Period**

Delivery Period shall not be later than 10 Calendar Days upon receipt of the Purchase Order / Notice to Proceed.

**3. Delivery Point**

Items shall be delivered at NPC-OBC WAREHOUSE, HEAD OFFICE, DILIMAN, QUEZON CITY

**4. Bid Submission**

The Bidder shall submit their bids through their authorized representative or in the manner of submission as prescribed in the RFQ.

**5. Late Bids**

Any Bid submitted after the deadline for submission and receipt of Bids shall not be accepted by NPC.

## 6. Bid Prices

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A Bid submitted with an adjustable price quotation shall be treated as non-responsive.

## 7. Bid Price Validity

Price Validity shall not be less than One Hundred Twenty (120) calendar days from date of bid submission.

## 8. Eligibility Criteria

- a. Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- b. From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Lowest Calculated Bid (LCQ).

## 9. Detailed Evaluation and Comparison of Bids

The LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

## 10. Post-qualification

Submitted documents of the LCQ shall be subjected to post qualification evaluation.

The bid that PASSED the Post-Qualification shall be declared as the Single /Lowest Calculated Responsive Quotation (S/LCRQ).

## 11. Total Contract Price

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

## 12. Notice to Supplier

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law

## 13. PO Effectivity

- a. The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

## 14. Terms of Payment

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

**15. Warranty**

Warranty is dependent upon the nature/type of the item which is included in the offer (i.e. Manufacturer's Warranty), unless specifically required in the scope of works.

**16. Liquidated Damages**

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent (1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

**17. Liability of the Supplier**

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

**18. Disclosure of Relations**

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure or relations.

**19. Administrative Sanctions**

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

**20. Reservation Clause**

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

----- remaining spaces intentionally left blank -----

**SUPPLIER'S BID QUOTATION  
 (SHOPPING 52.1 b)**

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. HO-CWA23-001 (SH2) with specific descriptions, to wit:

ITEM NO.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (PhP)	TOTAL PRICE (PhP)
1				
2				
3				
<b>TOTAL BID PRICE</b>				

- Payment Terms **30 Calendar Days**
- Delivery Period **10 Calendar Days**
- Price Validity **120 Calendar Days**
- Delivery Point **NPC-OBC WAREHOUSE, HEAD OFFICE, DILIMAN, QUEZON CITY**
- Warranty **3 Months**

\_\_\_\_\_  
 Name and Signature of Authorized Representative

Date \_\_\_\_\_

Company Name \_\_\_\_\_

Contact Details \_\_\_\_\_

E-mail address \_\_\_\_\_

*Note: The bidder may use this form or its own company letter head following this format duly signed by the authorized representative when making the offer.*

## TECHNICAL SPECIFICATION

**Mode of Award :** Lot Award  
**Description :** Fire Extinguisher & Two (2) Others  
**PR No. :** HO-CWA23-001  
**Delivery Site :** NPC-HO, OBC Warehouse, Diliman, Quezon City

**Note:** The specification is set to the minimum value/functionality to meet the requirements of the End-user.

ITEM	DESCRIPTION	QTY/U.M.	SUPPLIER'S DATA																												
1.	<p><b>FIRE EXTINGUISHER, PORTABLE</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Brand</td> <td></td> </tr> <tr> <td>Model</td> <td></td> </tr> <tr> <td colspan="2">Features</td> </tr> <tr> <td>Type of Use</td> <td>ABC</td> </tr> <tr> <td>Type of Chemical</td> <td>Non-toxic, and non-corrosive chemicals - refillable</td> </tr> <tr> <td>Capacity</td> <td>At least 10 lbs (5 kgs.)</td> </tr> <tr> <td>Color</td> <td>Red</td> </tr> <tr> <td>Standards</td> <td>BFP type approved, DTI-ISO certified</td> </tr> <tr> <td colspan="2">Included Accessories</td> </tr> <tr> <td>Pressure Gauge</td> <td>To be provided</td> </tr> <tr> <td>Mounting Bracket</td> <td>To be provided</td> </tr> <tr> <td>Wall Hanger Clip</td> <td>To be provided</td> </tr> <tr> <td>Nameplate</td> <td>To be provided</td> </tr> <tr> <td>User Manual</td> <td>To be provided</td> </tr> </table>	Brand		Model		Features		Type of Use	ABC	Type of Chemical	Non-toxic, and non-corrosive chemicals - refillable	Capacity	At least 10 lbs (5 kgs.)	Color	Red	Standards	BFP type approved, DTI-ISO certified	Included Accessories		Pressure Gauge	To be provided	Mounting Bracket	To be provided	Wall Hanger Clip	To be provided	Nameplate	To be provided	User Manual	To be provided	3.0 UNITS	<p>COMPLY/ NOT COMPLY</p> <p>Refer to the attached brochure/technical datasheet:</p>
Brand																															
Model																															
Features																															
Type of Use	ABC																														
Type of Chemical	Non-toxic, and non-corrosive chemicals - refillable																														
Capacity	At least 10 lbs (5 kgs.)																														
Color	Red																														
Standards	BFP type approved, DTI-ISO certified																														
Included Accessories																															
Pressure Gauge	To be provided																														
Mounting Bracket	To be provided																														
Wall Hanger Clip	To be provided																														
Nameplate	To be provided																														
User Manual	To be provided																														

*Handwritten marks*

2.	<p><b>LADDER, MULTI-PURPOSE</b></p> <table border="1"> <tr> <td>Brand</td> <td></td> </tr> <tr> <td>Model</td> <td></td> </tr> <tr> <td colspan="2"><b>Features</b></td> </tr> <tr> <td>Type</td> <td>Multi-purpose ladder, Aluminum</td> </tr> <tr> <td>Size</td> <td>At least 14 feet</td> </tr> <tr> <td>Configurations</td> <td>                     Twelve (12) ladder setup configurations:                      1. A Type                      2. Partial Length Straight                      3. Wall                      4. Short Span Scaffold-1                      5. Short Span Scaffold-2                      6. Medium Span scaffold                      7. Wide Span Scaffold                      8. Worktable                      9. Stairway                      10. Straight                      11. Stand Off                      12. Over Hang                 </td> </tr> </table>	Brand		Model		<b>Features</b>		Type	Multi-purpose ladder, Aluminum	Size	At least 14 feet	Configurations	Twelve (12) ladder setup configurations: 1. A Type 2. Partial Length Straight 3. Wall 4. Short Span Scaffold-1 5. Short Span Scaffold-2 6. Medium Span scaffold 7. Wide Span Scaffold 8. Worktable 9. Stairway 10. Straight 11. Stand Off 12. Over Hang	1.0 UNIT	<p><b>COMPLY/ NOT COMPLY</b></p> <p>Refer to the attached brochure/technical datasheet:</p>						
Brand																					
Model																					
<b>Features</b>																					
Type	Multi-purpose ladder, Aluminum																				
Size	At least 14 feet																				
Configurations	Twelve (12) ladder setup configurations: 1. A Type 2. Partial Length Straight 3. Wall 4. Short Span Scaffold-1 5. Short Span Scaffold-2 6. Medium Span scaffold 7. Wide Span Scaffold 8. Worktable 9. Stairway 10. Straight 11. Stand Off 12. Over Hang																				
3.	<p><b>UNINTERRUPTIBLE POWER SYSTEM (UPS)</b></p> <table border="1"> <tr> <td>Brand</td> <td></td> </tr> <tr> <td>Model</td> <td></td> </tr> <tr> <td colspan="2"><b>Features</b></td> </tr> <tr> <td>Capacity</td> <td>At least 650 VA (325 watts)</td> </tr> <tr> <td>Output Frequency</td> <td>60 Hz</td> </tr> <tr> <td>Output Connection</td> <td>2 x universal receptacle</td> </tr> <tr> <td>Nominal Input Voltage</td> <td>230 VAC</td> </tr> <tr> <td>Input Connection</td> <td>NEMA 5-15P</td> </tr> <tr> <td>Maximum Input Current</td> <td>At least 5 amperes</td> </tr> </table>	Brand		Model		<b>Features</b>		Capacity	At least 650 VA (325 watts)	Output Frequency	60 Hz	Output Connection	2 x universal receptacle	Nominal Input Voltage	230 VAC	Input Connection	NEMA 5-15P	Maximum Input Current	At least 5 amperes	3.0 UNITS	<p><b>COMPLY/ NOT COMPLY</b></p> <p>Refer to the attached brochure/technical datasheet:</p>
Brand																					
Model																					
<b>Features</b>																					
Capacity	At least 650 VA (325 watts)																				
Output Frequency	60 Hz																				
Output Connection	2 x universal receptacle																				
Nominal Input Voltage	230 VAC																				
Input Connection	NEMA 5-15P																				
Maximum Input Current	At least 5 amperes																				

*Handwritten marks*