



**National Power Corporation**

**REQUEST FOR QUOTATION  
(SHOPPING – 52 .1 b)**

May 10, 2023

Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR\_No. **HO-TFM23-004** Ref. No. **SHB221227-RM00458 (SHB3)** and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City **on or before 9:30 AM of 30 May 2023**

The following documents must be submitted together with your quotation:

For Platinum Members:

- 1. Valid and Updated Certificate of PhilGEPS Registration (This should include the attached "Annex A"). In case the Mayor's Permit in the said Annex "A" is expired, a valid/updated Mayor's Permit must also be submitted.

For Red or Blue Members:

- 1. Valid Mayor's Permit
- 2. PhilGEPS Registration Number ;

- Other documents to be submitted: \_\_\_\_\_

In case no bid or insufficient number or bids is received on **30 May 2023**, the deadline for submission may be extended, as follows:

First (1 <sup>st</sup> ) Extension	:	_____
Second (2 <sup>nd</sup> ) Extension	:	_____
Third (3 <sup>rd</sup> ) Extension	:	_____

**The RFQ/Bid Proposal shall be submitted by the bidder to NPC on the manner of submission based on the ABC as follows:**

**Approved Budget for the Contract (ABC)**

- Up to Php100, 000.00 - via fax/e- mail/ bid proposal to procurement officer
- Above Php100,000 up to Php1,000,000 - via Sealed Offer (use drop box @ procurement office)

For further inquiries, please contact the BAC Secretariat, **Mr. Joslo Riel S. Medina** at telephone no/s. 8921-3541 loc 5397 / Fax No. 8922-1622 with e-mail address at [jrsmolina.npc@gmail.com](mailto:jrsmolina.npc@gmail.com) or [bcscd@napocor.gov.ph](mailto:bcscd@napocor.gov.ph).

Very truly yours,

  
**RENE B. BARRUELA**  
 Chairman, Bids and Awards Committee





Republic of the Philippines  
NATIONAL POWER CORPORATION

**TERMS OF REFERENCE  
ALTERNATIVE MODE OF PROCUREMENT  
(SHOPPING – 52.1 b)**

1. **Scope of Works:** PRNO.HO-TFM23-004 / REF NO. SHB221227-RM00458 (SHB3)

**For the Supply and Delivery of: VARIOUS ELECTRICAL SUPPLIES**

Item No.	DESCRIPTION	QTY.	ABC (PhP)
1	CABLE TIE 4 INCH X 4.8MM, 100PC/PACK	10 PACK	2,200.00
2	CABLE TIE 8 INCH X 4.8MM, 100PC/PACK	10 PACK	2,850.00
3	CABLE TIE 12 INCH X 4.8MM, 100PC/PACK	10 PACK	3,800.00
4	ELECTRICAL SWITCHING DEVICE TIMER SOCKET <ul style="list-style-type: none"> <li>• 24 HOURS MECHANICAL SWITCH</li> <li>• POWER: 2~3500W</li> <li>• VOLTAGE: 220~240V (50-60HZ)</li> <li>• POWER SUPPLY INDICATOR</li> <li>• OPERATING TEMPERATURE: 0 °C TO 60 °C OR HIGHER</li> </ul>	10 PC	8,000.00
5	ELECTRICAL WIRE #14MM, 250 VOLTS, FLAT CORD STRANDED, 150M/PC	4 PC	26,400.00
6	ELECTRICAL CIRCUIT BREAKER 20 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, PLUG IN	3 PC	1,050.00
7	ELECTRICAL CIRCUIT BREAKER 20 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, BOLT ON	3 PC	1,050.00
8	ELECTRICAL CONDUIT 1 ½ INCH PLASTIC MOLDING	15 PC	2,775.00
9	ELECTRICAL CONTACTOR, 240 VOLTS AC, 30A, THREE PHASE	6 PC	12,000.00
10	ELECTRICAL CONTACTOR, 240 VOLTS AC, 30A, SINGLE PHASE	6 PC	9,600.00
11	ELECTRICAL PLUG MALE PLUG (HEAVY DUTY) 15A 250V	30 PC	1,500.00
12	LED BULB 7 WATTS, 220-240 V, E-27 BASE DAYLIGHT	30 PC	6,000.00
13	LED TUBE LIGHTING 20-24W, 230 VOLTS, 60HZ LAMP	30 PC	15,000.00
14	LIGHTING FIXTURE FOR T8 LED TUBELIGHT (LUMINAIRE HOLDER)	25 PC	6,250.00
15	LIGHTING FIXTURES E27 CEILING RECEPTACLE (SIZE 4 ¼ DIAMETER)	35 PC	1,400.00
16	WIRE, 3.5MM <sup>2</sup> , THWN/THHN STRANDED, COPPER, 600V, 150MTS./ROLL	4 ROLL	18,400.00
17	CONVENIENCE OUTLET SURFACE TYPE UTILITY BOX, PVC (AMCO BOX)	50 PC	2,500.00

18	<b>EXHAUST FAN WALL MOUNTED, 12 INCHES</b> <ul style="list-style-type: none"> <li>• 4 BLADES</li> <li>• 50W OR HIGHER</li> <li>• 240V ± 10%, SINGLE PHASE</li> <li>• THERMAL FUSE</li> <li>• FROM AND BACK GRILLS PROVIDED FOR ACCESSIBILITY AND SAFETY</li> <li>• BALL BEARING MOTOR</li> <li>• 1200 CFM OR HIGHER</li> </ul>	8 UNIT	24,000.00
19	<b>EXHAUST FAN WALL MOUNTED, 24 INCHES</b> <ul style="list-style-type: none"> <li>• 4 BLADES</li> <li>• 300W OR HIGHER</li> <li>• 240V ± 10%, SINGLE PHASE</li> <li>• THERMAL FUSE</li> <li>• FROM AND BACK GRILLS PROVIDED FOR ACCESSIBILITY AND SAFETY</li> <li>• BALL BEARING MOTOR</li> <li>• 3000 CFM OR HIGHER</li> </ul>	4 UNIT	36,000.00
20	<b>FLEXIBLE PIPE ELECTRICAL ORANGE, ¾" DIA. X 100MTRS.</b>	2 ROLL	2,600.00
21	<b>AIR FILTER FOR GENERATOR SET PN: 6L-4714 FOR CATERPILLAR GENERATOR SET (500kW, 440V, Model No. 3412, AR No. 7N7708)</b>	2 PC	14,000.00
<b>TOTAL AMOUNT</b>			<b>197,375.00</b>

**Notes:**

- **Mode of Award: Lot Award**
- **Warranty: at least Three (3) Months**
- **See attached sheet for complete Technical Specification**
- **Bidders are required and reminded to strictly state/include in their own Bid Proposal the Requirements in the Terms and Conditions stated under the NPC Terms of Reference (TOR), to wit:**
  - Payment Terms
  - Delivery Period
  - Price Validity
  - Delivery Point
  - Warranty

**APPROVED BUDGET FOR THE CONTRACT: PHP 197,375.00**

**2. Delivery Period**

Delivery Period shall not be later than **Twenty (20) calendar days** upon receipt of the Purchase Order / Notice to Proceed.

**3. Delivery Point**

Items shall be delivered at **NPC Warehouse-Head Office, Diliman, Quezon City.**

**4. Bid Submission**

The Bidder shall submit their bids through their authorized representative or in the manner of submission as prescribed in the RFQ.

**5. Late Bids**

Any Bid submitted after the deadline for submission and receipt of Bids shall not be accepted by NPC.

**6. Bid Prices**

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A Bid submitted with an adjustable price quotation shall be treated as non-responsive.

**7. Bid Price Validity**

Price Validity shall not be less than One Hundred Twenty (120) calendar days from date of bid submission.

**8. Eligibility Criteria**

- a. Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- b. From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Lowest Calculated Quotation (LCQ).

**9. Detailed Evaluation and Comparison of Bids**

The LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

**10. Post-qualification**

Submitted documents of the LCQ shall be subjected to post qualification evaluation.

- PhilGEPS Certification and Mayor's/Business Permit.

The bid that PASSED the Post-Qualification shall be declared as the Lowest Calculated Responsive Quotation (LCRQ).

**11. Total Contract Price**

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

**12. Notice to Supplier**

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law.

**13. PO Effectivity**

- a. The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

**14. Terms of Payment**

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

**15. Warranty**

Warranty is dependent upon the nature/type of the item which is included in the offer (i.e. Manufacturer's Warranty).

**16. Liquidated Damages**

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent (1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

**17. Liability of the Supplier**

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

**18. Disclosure of Relations**

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure of relations.

**19. Administrative Sanctions**

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

**20. Reservation Clause**

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

-----remaining spaces are intentionally left blank -----

**SUPPLIER'S BID QUOTATION  
(SHOPPING 52.1 b)**

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. **HO-TFM23-004**. I agree with the conditions of the TOR and offer the following supplies with specific description:

ITEM NO.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (PhP)	TOTAL PRICE (PhP)
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				

19				
20				
21				
TOTAL BID PRICE				

Payment Terms : 30 Days  
Delivery Period : 20 Days  
Price Validity : 120 Days  
Delivery Point : NPC-HO, Dilliman, Quezon City  
Warranty : 3 Months

\_\_\_\_\_  
Name and Signature of Authorized Representative  
Date \_\_\_\_\_

Company Name \_\_\_\_\_

Contact Details \_\_\_\_\_

e-mail address \_\_\_\_\_

*Note: The bidder may use this form or its own company letter head following this format duly signed by the authorized representative when making the offer.*



## National Power Corporation

### TECHNICAL SPECIFICATION

Item No.	Complete Description	Specification	Quantity	Unit of Measurement
1	CABLE TIE	<ul style="list-style-type: none"> <li>4 inch x 4.8 mm, 100pcs per pack</li> </ul>	10	PACK
2		<ul style="list-style-type: none"> <li>8 inch x 4.8 mm, 100pcs per pack</li> </ul>	10	PACK
3		<ul style="list-style-type: none"> <li>12 inch x 4.8mm, 100pcs per pack</li> </ul>	10	PACK
4	ELECTRICAL SWITCHING DEVICE	<ul style="list-style-type: none"> <li>Timer socket</li> <li>24 Hours Mechanical Switch</li> <li>Power: 2~3500W</li> <li>Voltage: 220~240V (50-60Hz)</li> <li>Power Supply Indicator</li> <li>Operating Temperature: 0 °C to 60 °C or higher</li> </ul>	10	PC
5	ELECTRICAL WIRE #14 THHN WIRE STRANDED	<ul style="list-style-type: none"> <li>#14 (2.0 mm<sup>2</sup>) , 250 Volts, THHN Wire Flat Cord Stranded</li> <li>150m length per pc</li> </ul>	4	PC
6	ELECTRICAL CIRCUIT BREAKER	<ul style="list-style-type: none"> <li>20AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, PLUG-IN</li> </ul>	3	PC
7	ELECTRICAL CIRCUIT BREAKER	<ul style="list-style-type: none"> <li>20AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, BOLT-ON</li> </ul>	3	PC
8	ELECTRICAL CONDUIT	<ul style="list-style-type: none"> <li>1-½ INCH PLASTIC MOULDING</li> </ul>	15	PC
9	ELECTRICAL CONTACTOR	<ul style="list-style-type: none"> <li>Contactor, 240V AC, 30A, 3-Phase</li> </ul>	6	PC
10	ELECTRICAL CONTACTOR	<ul style="list-style-type: none"> <li>Contactor, 240V AC, 30A, Single-Phase</li> </ul>	6	PC
11	ELECTRICAL PLUG	<ul style="list-style-type: none"> <li>Male Plug (Heavy Duty Rubber Plug)</li> <li>15A 250V</li> </ul>	30	PC
12	LED BULB	<ul style="list-style-type: none"> <li>7 watts, 220-240V, E-27 base daylight</li> </ul>	30	PC
13	LED TUBE LIGHTING	<ul style="list-style-type: none"> <li>20 - 24W, 230 VOLTS, 60HZ LAMP, LED TUBE</li> </ul>	30	PC
14	LIGHTING FIXTURE	<ul style="list-style-type: none"> <li>FOR T8 LED TUBELIGHT (LUMINAIRE HOLDER)</li> </ul>	25	PC
15	LIGHTING FIXTURES	<ul style="list-style-type: none"> <li>E27 CEILING RECEPTACLE (SIZE 4 ¼" DIAMETER)</li> </ul>	35	PC
16	WIRE	<ul style="list-style-type: none"> <li>3.5 MM<sup>2</sup>, THWN/THHN STRANDED, COPPER, 600V, 150MTS./ROLL</li> </ul>	4	BOX
17	CONVENIENCE OUTLET	<ul style="list-style-type: none"> <li>SURFACE TYPE UTILITY BOX, PVC, (AMCO BOX)</li> </ul>	50	PC
18	EXHAUST FAN	<ul style="list-style-type: none"> <li>Exhaust Fan 12 inches</li> <li>4 Blades</li> </ul>	8	UNIT





## National Power Corporation

		<ul style="list-style-type: none"> <li>• 50W or higher</li> <li>• 240V <math>\pm</math> 10%, single phase</li> <li>• Thermal fuse</li> <li>• Front and back grills provided for accessibility and safety</li> <li>• Ball bearing motor</li> <li>• 1200 CFM or higher</li> </ul>		
19	EXHAUST FAN	<ul style="list-style-type: none"> <li>• Exhaust Fan 24 inches</li> <li>• 4 Blades</li> <li>• 300W or higher</li> <li>• For Industrial use</li> <li>• 240V <math>\pm</math> 10%, single phase</li> <li>• Thermal fuse</li> <li>• Front and back grills provided for accessibility and safety</li> <li>• Ball bearing motor</li> <li>• 3000 CFM or higher</li> </ul>	4	UNIT
20	FLEXIBLE PIPE	<ul style="list-style-type: none"> <li>• FOR ELECTRICAL USE,</li> <li>• COLOR: ORANGE,</li> <li>• Dimension: <math>\frac{3}{4}</math>" DIA.X 100 MTRS.</li> </ul>	2	ROLL
21	AIR FILTER FOR GENERATOR SET	<ul style="list-style-type: none"> <li>• Air filter 6L-4714 for Caterpillar Generator Set (500KW, 440V, Model No. 3412, AR No. 7N7708)</li> </ul>	2	UNIT